

INVESTIGATION OF LIPID COMPOSITION OF RHIZOMES

WITH ROOTS OF *IRIS HUNGARICA* (IRIDACEAE)

© V. N. Kovalyov, O. A. Mykchailenko,¹ A. V. Krechun

National University of Pharmacy, Kharkov, Ukraine

¹E-mail: z_ola07@mail.ru

REFERENCES

1. Gusakova S.V., Sagdulayev Sh. Sh., Khushtakova Z. A. 1998. Lipophilic extracts in herbal medicine and bodycare, their preparation and biological properties. *Khimiya Prirodnykh Soedineniy*. 4: 437–447. (In Russian)
2. Goodwin T., Mercer E. 1986. Introduction to the biochemistry of plants. Vol. 1. Moscow. 393 p. (In Russian)
3. Gunstone F. D. 1996. Fatty Acid and Lipid Chemistry. London. 252 p.
4. Zatylnikova O. A., Kovalev V. N., Kovalev S. V. 2013. Composition of *Iris pseudacorus* (Iridaceae) essential oil. *Rastitelnye resursy*. 49 (2): 233–240. (In Russian)
5. Zatylnikova O. A. 2013. Elemental composition of *Iris sibirica* L. *Ukrainskiy Medichnyy Almanach*. 15 (2): 30–31. (In Ukrainian)
6. Czerepanov S. K. 2007. Vascular plants of Russia and adjacent states (the former USSR). Cambridge. P. 280–282.
7. Rodionenko G. I. 1981. Irises. Moscow. 156 p. (In Russian)
8. Colasante M., Mathew B. 2008. Species of natural hybrid origin and misinformation in the Irises: to reappraisal of the presence of *I. aphylla* L. in Italy. *Pl. Biosyst.* 142 (1): 172–178.
9. Mosyakin S. L., Fedoranchuk M. M. 1999. Vascular plants of Ukraine. A nomenclatural checklist. Ed. by S. L. Mosyakin. Kiev. 346 p.
10. Rastitelnye resursy Rossii i sopredelnykh gosudarstv: Tsvetkovye rasteniya, ich chimicheskiiy sostav, ispolzovanie. Semeystva Butomaceae-Typhaceae [Plant Resources of Russia and neighboring countries: flowering plants, their chemical composition, the use of: family Butomaceae-Typhaceae] St. Petersburg., 1994. P. 77–82. (In Russian)
11. Iwashina Ts. 1998. Flavonoids of the genus *Iris*; structures, distribution and function: Review. *Ann. Tsukuba Bot. Gard.* 17: 147–183.
12. Kovalev V. N., Mikhailenko O. A., Vinogradov B. A. 2014. Aromatic compounds and terpenoids of *Iris hungarica*. *Chem. Nat. Compd.* 50 (1): 161–162.
13. State Pharmacopoeia of Ukraine. 2001. State Enterprise «Scientific and Expert Pharmacopoeial Centre». 1st ed. Kharkov. 556 p. (In Ukrainian)
14. Tumanov V. N., Chiruk S. L. 2007. Kachestvennye i kolichestvennye metody issledovaniya pigmentov fotosinteza [Qualitative and quantitative research methods of pigments of photosynthesis]. Grodno. 62 p. (In Russian)
15. Wagner H., Bladt S. 2001. Plant drug analysis. Berlin. 384 p.
16. Carrapiso A. I., Garcia C. 2000. Development in lipid analysis: some new extraction techniques and in situ transesterification. *Lipids*. 35 (11): 1167–1177.
17. Bicchi C., Brunelli C., Cordero C., Rubiolo P. 2004. Direct resistively heated column gas chromatography (Ultrafast module-GC) for high-speed analysis of essential oils of differing complexities. *J. Chromatogr. A*. 1024 (1–2): 195–207.

18. Lyons J. M., Wheaton T. A., Pratt H. K. Relationship between the physical nature of mitochondrial membranes and chilling sensitivity in plant. *Plant Physiol.* 1964. 39: 262—268.
19. Los D. A. 2001. Structure, regulation of expression and function of desaturase of fatty acids. *Uspekhi biologicheskoy khimii.* 41: 163—198. (In Russian)