

ADIANTUM CAPILLUS-VENERIS (ADIANTACEAE):

COMPOSITION, MEDICINAL USAGE, BIOLOGICAL ACTIVITY

© A. L. Budantsev,¹ L. M. Belenovskaya

Komarov Botanical Institute of the Russian Academy of Science, St. Petersburg, Russia

¹E-mail: abudantsev@mail.ru

REFERENCES

1. Gladkova V. N. 1978. Family Adiantaceae. In: Zhisn rasteniy [Life of plants.]. Moscow. Vol. 4. P. 189—199. (In Russian)
2. Tryon R. M., Tryon A. F., Framer K. U. 1990. Pteridaceae. In: The families and genera of vascular plants. Vol. 1. P. 230—256.
3. Lin Y., Prado J., Gilbert M. G. *Adiantum* L. In: Flora of China. Vol. 2—3. http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=100603
4. Paris C. A. *Adiantum* L. In: Flora of North America. Vol. 2. http://www.efloras.org/florataxon.aspx?flora_id=1&taxon_id=100603
5. May L. W. 1978. The economic uses and associated folklore of ferns and fern allies. — Bot. Rev. 44 (4): 491—528.
6. Ahmed A., Jahan N., Wadud A., Imam H., Hajera S., Bilal A. 2012. Physicochemical and biological properties of *Adiantum capillus-veneris* Linn.: An important drug of Unani system of medicine. — Int. J. Cur. Res. Rev. 4 (21): 70—75.
7. Ansari R., Ekhlesi-Kazai K. 2012. *Adiantum capillus-veneris* L.: Phytochemical constituents, traditional uses and pharmacological properties: A review. — J. Adv. Sci. Res. 3 (4): 15—20.
8. Pan C., Chen Y. G., Ma X. Y., Jiang J. H., He F., Zhang Y. 2011. Phytochemical constituents and pharmacological activities of plants from the genus *Adiantum*: A review. — Trop. J. Pharmaceut. Res. 10 (5): 681—692.
9. Abe I., Rohmer M., Prestwich G. D. 1993. Enzymatic cyclization of squalene and oxidosqualene to sterols and triterpenes. — Chem. Rev. 93 (6): 2189—2206.
10. Xu R., Fazio G. C., Matsuda S. P. T. 2004. On the origins of triterpenoid skeletal diversity. — Phytochemistry. 65 (3): 261—291.
11. Shinozaki J., Shibuya M., Masuda K., Ebizuka Y. 2008. Squalene cyclase and oxidosqualene cyclase from a fern. — FEBS Lett. 582 (2): 310—318.
12. Berti G., Bottari F., Marsili A., Lehn J. M., Witz P., Ourisson G. 1963. Structure de l'adiantone un nor-triterpene naturel. — Tetrahedron Lett. 4 (20): 1283—1287.
13. Nakane T., Arai Y., Masuda K., Ishizaki Y., Ageta H., Shiojima K. 1999. Fern constituents: Six new triterpenoid alcohols from *Adiantum capillus-veneris*. — Chem. Pharm. Bull. 47 (4): 543—547.

14. Nakane T., Maeda Y., Ebihara H., Arai Y., Masuda K., Takano A., Ageta H., Shiojima K., Cai S. Q., Abdel-Halim O. B. 2002. Fern constituents: triterpenoids from *Adiantum capillus-veneris*. — Chem. Pharm. Bull. 50 (9): 1273—1275.
15. Jankowski C. K., Aumelas A., Thuỷ P., Reyes-Chilpa R., Jimenez-Estrada M., Barrios H., Diaz E. 2004. X-ray, ¹H/¹³C 2D and 3D NMR studies of the structures of davallene and adipedatol, two triterpenes isolated from American *Adiantum capillus-veneris*. — Polish J. Chem. 78 (3): 389—408.
16. Ageta H., Iwata K. 1966. Fern constituents: adipedatol, filicinal and other triterpenoids isolated from *Adiantum pedatum*. — Tetrahedron Lett. 7 (48): 6069—6074.
17. Ageta H., Shiojima K. 1968. Comparison of adipedatol with hydroxyhopane and hydroxyisohopane. — Chem. Commun. 22: 1372.
18. Ibraheim Z. Z., Ahmed A. S., Gouda Y. G. 2011. Phytochemical and biological studies of *Adiantum capillus-veneris* L. — Saudi Pharm. J. 19 (2): 65—74.
19. Haider S., Kharbanda C., Alam M. S., Hamid H., Ali M., Alam M., Nazreen S., Ali Y. 2013. Anti-inflammatory and anti-nociceptive activities of two new triterpenoids from *Adiantum capillus-veneris* — Linn. Nat. Prod. Res. 27 (24): 2304—2310.
20. Naseri N. G., Ashnagar A., Nia S. J. 2006. Isolation and structural determination of the major chemical compounds possibly found in the leaves of maidenhair plant (*Adiantum capillus-veneris* L.) grown around the city of Dezful, Iran. — Int. J. Chem. Sci. 4 (4): 874—880.
21. Santosh Kumar S., Samydarai P., Ramakrishnan R., Nagarajan N. 2014. Gas chromatography and mass spectrometry analysis of bioactive constituents of *Adiantum capillus-veneris* L. — Int. J. Pharm. Pharmac. Sci. 6 (4): 60—63.
22. Marino A., Elberti M. G., Cataldo A. 1989. Phytochemical investigation of *Adiantum capillus-veneris*. — Boll. Soc. Ital. Biol. Sper. 65 (5): 461—463.
23. Zaman A., Prakash A., Berti G., Bottari F., Macchia B., Marsili A., Morelli L. 1966. A new nortriterpenoid ketol from two *Adiantum* species. — Tetrahedron Lett. 7 (33): 3943—3947.
24. Berti G., Bottiari F., Marsili A. 1969. Structure and stereochemistry of a triterpenoid epoxide from *Adiantum capillus-veneris*. — Tetrahedron. 25 (15): 2939—2947.
25. Akabori Y., Hasegawa M. 1969. Flavonoid pattern in Pteridaceae. II. Flavonoid constituents in the fronds of *Adiantum capillus-veneris* and *A. cuneatum*. — Shokubutsugaku Zasshi. 82: 294—297.
26. Cooper-Driver G., Swain T. 1977. Phenolic chemotaxonomy and phytogeography of *Adiantum*. — Bot. J. Linn. Soc. 74 (1): 1—21.
27. Imperato F. 1982. Anewacylated flavonol glycoside from the fern *Adiantum capillus-veneris* L. — Chem. Ind. 16: 604.
28. Yuan Q., Wang J., Ruan J. 2012. Screening for bioactive compounds from *Adiantum capillus-veneris* L. — J. Chem. Soc. Pak. 34 (1): 207—216.
29. Imperato F. 1982. Kaempferol 3-sulphate in the fern *Adiantum capillus-veneris*. — Phytochemistry. 21 (8): 2158—2159.
30. Imperato F. 1982. Sulphate esters of hydroxycinnamic acid-sugar derivatives from *Adiantum capillus-veneris*. — Phytochemistry. 21 (11): 2717—2718.

31. Imperato F. 1982. New phenolic glycosides in the fern *Adiantum capillus-veneris* L. — Chem. Ind. 23: 957—958.
32. El-Tantawy M., El-Sakhawy F., El-Deeb K., Fathy M., Hassan A.-K. 1994. A phytochemical and pharmacological study of *Adiantum capillus-veneris* L. growing in Egypt. — Zagazig J. Pharm. Sci. 3(3A): 97—103.
33. Cooper-Driver G., Swain T. 1975. Sulphate esters of caffeyl- and p-coumaroylglucose in ferns. — Phytochemistry. 14(11): 2506—2507.
34. Imperato F. 1981. New sulphate esters of hydroxycinnamic acid-sugar derivatives in ferns. — Chem. Ind. 19: 691.
35. Sato N., Furuya M. 1984. Distribution of lipids of diacyl glyceryltrimethylhomoserine in selected of vascular plants. — Phytochemistry. 23 (8): 1625—1627.
36. Sato N., Furuya M. 1984. The composition of lipids and fatty acids determined at various stages of haploid generations in the fern *Adiantum capillus-veneris*. — Physiol. Plant. 62 (8): 139—147.
37. De Natale A., Pezzatti G. B., Pollio A. 2009. Extending the temporal context of ethnobotanical databases: the case study of the Campania region (Southern Italy). — J. Ethnobiol. Ethnomed. 5. Art. N 7.
38. De Feo V., Senatore F. 1993. Medicinal plants and phytotherapy in the Amalfitan Coast, Salerno Province, Campania, Southern Italy. — J. Ethnopharmacol. 39 (1): 39—51.
39. Leporatti M. L., Corradi L. 2001. Ethnopharmacobotanical remarks on the Province of Chieti town (Arbuzzo, Central Italy). — J. Ethnopharmacol. 74 (1): 17—40.
40. Everest A., Ozturk E. 2005. Focusing on the ethnobotanical uses of plants in Mersin and Adana provinces (Turkey). — J. Ethnobiol. Ethnomed. 1. Art. N 6.
41. Guarrera P. M., Lucchese F., Medori S. 2008. Ethnophytotherapeutical research in the high Molise region (Central-Southern Italy). — J. Ethnobiol. Ethnomed. 4, Art. N 7.
42. Savo V., Giulia C., Maria G. P., David R. 2011. Folk phytotherapy of the Amalfi Coast (Campania, Southern Italy). — J. Ethnopharmacol. 135 (2): 376—392.
43. Palmese M. T., Uncini Manganelli R. E., Tomei P. E. 2001. Anethno-pharmacobotanical survey in the Sarrabus district (south-east Sardinia). — Fitoterapia. 72 (6): 619—643.
44. Malik A. R., Siddique M. A. A., Sofi P. A., Butola J. S. 2011. Ethnomedicinal practices and conservation status of medicinal plants of North Kashmir Himalayas. — Res. J. Med. Plant. 5 (5): 515—530.
45. Ahmad P., Butt T. A., Bhat M., Aminuddin Islam N. 2012. Ethnopharmacological uses of plants among tribal and rural folks of Banihal forest area of Kashmir. — Int. J. Pharma Biosci. 3(4): 507—510.
46. Bhustan B., Kumar M. 2013. Ethnobotanically important medicinal plants of Tehsil Billawar, District Kathua, J&K, India. — J. Pharmacogn. Phytochemistry. 2 (4): 14—21.
47. Tahvilian R., Shahriari S., Faramarzi A., Komasi A. 2014. Ethno-pharmaceutical formulations in Kurdish ethno-medicine. — Iran. J. Pharmaceut. Res. 13 (3): 1029—1040.
48. Loi M. S., Poli F., Dacchetti G., Selenu M. B., Ballero M. 2004. Ethnopharmacology of *Oligastra* (Villagrande Strisaili, Sardinia, Italy). — Fitoterapia. 45(3—4): 277—295.
49. Haq F., Ahmad H., Alam M. 2011. Traditional uses of medicinal plants of Nandiar Khuwarr catchment (District Battagram), Pakistan. — J. Med. Plants Res. 5 (1): 39—48.

50. Abbasi A. M., Khan M. A., Ahmad M., Zafar M., Khan H., Muhammad N., Sultana S. 2009. Medicinal plants used for the treatment of jaundice and hepatitis based on socio-economic documentation. — *Afr. J. Biotechnol.* 8 (8): 1643—1650.
51. Amiri M. S., Joharchi M. R., Taghavizadeh Yazdi M. E. 2014. Ethno-medicinal plants used to cure jaundice by traditional healers of Mashhad, Iran. — *Iran. J. Pharmaceut. Res.* 13 (1): 157—162.
52. Abbasi A. M., Khan M. A., Ahmad M., Zafar M., Jahan S., Sultana S. 2010. Ethnopharmacological application of medicinal plants to cure skin diseases and in folk cosmetics among the tribal communities of North-West Frontier Province, Pakistan. — *J. Ethnopharmacol.* 128 (2): 322—335.
53. Hamayun M., Khan S. A., Sohn E. Y., Lee I.-J. 2006. Folk medicinal knowledge and conservation status of some economically valued medicinal plants of District Swat, Pakistan. — *Lyonia.* 11 (2): 101—113.
54. Siddiqui M. B., Husain W. 1991. Medicinal ferns in the HarDOI district of Central Utter Pradesh. — *Fitoterapia.* 62 (5): 451—452.
55. Bruni A., Ballero M., Poli F. 1997. Quantitative ethnopharmacological study of the Campidano Valley and Urzulei district, Sardinia, Italy. — *J. Ethnopharmacol.* 57 (2): 97—124.
56. Kumari S., Batish D. R., Singh H. P., Negi K., Kohli R. K. 2013. Anethnobotanical survey of medicinal plants used by Gujjar community of Trikuta hills in Jammu and Kashmir, India. — *J. Med. Plants Res.* 7 (28): 2111—2121.
57. Murad W., Ahmad A., Gilani S. A., Khan M. A. 2011. Indigenous knowledge and folk use of medicinal plants by the tribal communities of Hazar Nao forest, Malakand district, North Pakistan. — *J. Med. Plants Res.* 5 (7): 1072—1086.
58. Barone R. 1963. Le piante della medicina popolare nel territorio di Falconara e San Lucido. — *Webbia.* 17 (2): 329—357.
59. Kayania S., Ahmad M., Zafar M., Sultana S., Khan M. P. Z., Ashraf M. A., Hussain J., Yaseen G. 2014. Ethnobotanical uses of medicinal plants for respiratory disorders among the inhabitants of Gallies — Abbottabad, Northern Pakistan. — *J. Ethnopharmacol.* 156 (1): 47—60.
60. Ahmad I., Ibrar M., Barkatullah Ali N. 2011. Ethnobotanical study of Tehsil Kabal, Swat district, KPK, Pakistan. — *J. of Botany.* Vol. 2011. ID 368572.
61. Ullah M., Khan M. U., Mahmood A., Malik R. N., Hussain M., Wazir S. M., Daud M., Shinwari Z. K. 2013. Anethnobotanical survey of indigenous medicinal plants in Wana district south Waziristan agency, Pakistan. — *J. Ethnopharmacol.* 150 (3): 918—924.
62. Iqbal H., Sher Z., Khan Z. U. 2011. Medicinal plants from salt range Pind Dadan Khan, district Jhelum, Punjab, Pakistan. — *J. Med. Plants Res.* 5 (11): 2157—2168.
63. Shinwari M. I., Khan M. A. 2000. Folk use of medicinal herbs of Margalla Hills National Park, Islamabad. — *J. Ethnopharmacol.* 69 (1): 45—56.
64. Yadav S., Arya V., Kumar S., Yadav M., Yadav J. P. 2012. Ethnomedicinal flora of Dosi Hills of Mahendergarh district (Haryana), India. — *Ann. Biol.* 28 (2): 152—157.
65. Lee S., Xiao C., Pei S. 2008. Ethnobotanical survey of medicinal plants at periodic markets of Honghe Prefecture in Yunnan Province, SW China. — *J. Ethnopharmacol.* 117 (2): 362—377.
66. Aslan A., Mat A., Özhatay N., Sariyar G. 2007. A contribution to traditional medicine in West Anatolia. — *J. Pharmacy Istanbul Univ.* 39: 73—83.

67. Ghorbani A. 2005. Studies on pharmaceutical ethnobotany in the region of Turkmen Sahra, north of Iran (Part 1): General results. — *J. Ethnopharmacol.* 102 (1): 58—68.
68. Mati E., de Boer H. 2011. Ethnobotany and trade of medicinal plants in the Qaysary Market, Kurdish Autonomous Region, Iraq. — *J. Ethnopharmacol.* 133 (2): 490—510.
69. Al-Qura'n S. 2009. Ethnopharmacological survey of wild medicinal plants in Showbak, Jordan. — *J. Ethnopharmacol.* 123(1): 45—50.
70. Abu-Rabia A. 2005. Urinary diseases and ethnobotany among pastoral nomads in the Middle East. — *J. Ethnobiol. Ethnomed.* 1. Art. N 4.
71. Lokar L. C., Poldini L. 1988. Herbal remedies in the traditional medicine of the Venezia Giulia region (North-East Italy). — *J. Ethnopharmacol.* 22 (3): 231—278.
72. Guarrera P. M. 2005. Traditional phytotherapy in Central Italy (Marche, Aruzzo, and Latium). — *Fitoterapia.* 76 (1): 1—25.
73. Pieroni A., Quave C., Nebel S., Heinrich M. 2002. Ethnopharmacy of the ethnic Albanians (Arbëreshë) of northern Basilicata, Italy. — *Fitoterapia.* 73 (3): 217—241.
74. Pieroni A., Quave C. L. 2005. Traditional pharmacopoeias and medicines among Albanians and Italians in southern Italy: A comparison. — *J. Ethnopharmacol.* 101(1—3): 258—270.
75. Tuttolomondo T., Licata M., Leto C., Savo V., Bonsangue G., Letizia Gargano M., Venturella G., La Bella S. 2014. Ethnobotanical investigation on wild medicinal plants in the Monti Sicani Regional Park (Sicily, Italy). — *J. Ethnopharmacol.* 153 (3): 568—586.
76. Antonone R., De Simone F., Morrica P., Ramundo E. 1988. Traditional phytotherapy in the Roccamonfina volcanic group, Campania, Southern Italy. — *J. Ethnopharmacol.* 22 (3): 295—306.
77. De Natale A., Pollio A. 2007. Plants species in the folk medicine of Montecorvino Rovella (inland Campania, Italy). — *J. Ethnopharmacol.* 109 (2): 295—303.
78. Leporatti M. L., Impieri M. 2007. Ethnobotanical notes about some uses of medicinal plants in Alto Tirreno Cosentino area (Calabria, Southern Italy). — *J. Ethnobiol. Ethnomed.* 3. Art. N 34.
79. Passalacqua N. G., Guarrera P. M., De Fine G. 2007. Contribution to the knowledge of the folk plant medicine in Calabria region (Southern Italy). — *Fitoterapia.* 78 (1): 52—68.
80. Ballero M., Fresu L. 1991. Piante officinali impiegate in fitoterapia nel territorio del Marganai (Sargena Sud Occidentale). — *Fitoterapia.* 62 (6): 524—531.
81. Ballero M., Fresu L. 1993. Le piante di uso officinale nella Barbagia di Seui (Sargena Centrale). — *Fitoterapia.* 64 (2): 141—150.
82. Camejo-Rodrigues J., Ascensão L., Àngles Bonet M., Vallès J. 2003. An ethnobotanical study of medicinal and aromatic plants in the Natural Park of «Serra de Sao Mamede» (Portugal). — *J. Ethnopharmacol.* 89(2—3): 199—209.
83. Benitez G., González-Tejero M. R., Molero-Mesa J. 2010. Pharmaceutical ethnobotany in the western part of Granada province (southern Spain): Ethnopharmacological synthesis. — *J. Ethnopharmacol.* 129(1): 87—105.
84. Merzouki A., Ed-derfoufi F., Molero Mesa J. 2000. Contribution to the knowledge of Rifian traditional medicine. II: Folk medicine in Ksar Lakbir district (NW Morocco). — *Fitoterapia.* 71(3): 278—307.

85. Hammond G. B., Fernandez I. D., Villegas L. F., Vaisberg A. J. 1998. A survey of traditional medicinal plants from the Callejon de Huaylas, Department of Ancash, Peru. — *J. Ethnopharmacol.* 61(1): 17—30.
86. Dolores L., Latorre F. A. 1977. Plants used by the Mexican Kickapoo Indians. — *Econ. Bot.* 31(3): 340—357.
87. Mahmoud M. J., Jawad A.-L. M., Hussain A. M., Al-Omari M., Al-Naib A. 1989. *In vitro* antimicrobial activity of *Salsola rosmarinus* and *Adiantum capillus-veneris*. — *Pharmac. Biol.* 27(1): 14—16.
88. Mahran G. H., El-Alfy T. M., Taha K. F., El-Tantawy M. 1990. Chemical composition and antimicrobial activity of the volatile oil and extracts of fronds of *Adiantum capillus-veneris* L. — *Bull. Fac. Agric. Univ. Cairo.* 41(3): 555—572.
89. Victor B., Maridass M., Ramesh U., Prabhu J. M. A. 2003. Antibacterial activity of essential oils from the leaves of *Adiantum capillus-veneris* Linn. — *Malaysian J. Sci.* 22(1): 65—66.
90. Gueia (Ghosi) P., Mukhopadhyay R., Pal P. K., Gupta K. 2004. Antimicrobial activity of crude extracts and extracted phenols from gametophyte and sporophytic plant parts of *Adiantum capillus-veneris* L. — *Allelopath. J.* 13(1): 57—66.
91. Guha (Ghosh) P., Mukhopadhyay R., Gupta K. 2005. Antifungal activity of the crude extracts and extracted phenols from gametophytes and sporophytes of two species of *Adiantum*. — *Taiwania.* 50(4): 272—283.
92. Singh M., Singh N., Khare P. B., Rawat A. K. 2008. Antimicrobial activity of some important *Adiantum* species used traditionally in indigenous systems of medicine. — *J. Ethnopharmacol.* 115(2): 327—329.
93. Parihar P., Parihar L., Bohra A. 2010. *In vitro* antibacterial activity of fronds (leaves) of some important pteridophytes. — *J. Microbiol. Antimicrob.* 2(2):19—22.
94. Alipour M., Khanmohammadi O. 2011. Antibacterial activity of plant extracts against storal and skin pathogens. — *Afr. J. Microbiol. Res.* 5(19): 2909—2911.
95. Shirazi M. H., Amin Gh., Akhondi Lavasani B., Eshraghi S. S. 2011. Study of antibacterial properties of *Adiantum capillus-veneris* extract on eight species of gram positive and negative bacteria. — *J. Med. Pl.* 10(40): 124—132, 188.
96. Mahboubi A., Kamalinejad M., Shalviri M., Karbasi Z., Jafariazar Z., Asgharian R. 2012. Evaluation of antibacterial activity of three Iranian medicinal plants. — *Afr. J. Microbiol. Res.* 6(9): 2048—2052.
97. Ishaq M. S., Hussain M. M., Afridi M. S., Ali G., Khattak M., Ahmad S., Shakirullah. 2014. *In vitro* phytochemical, antibacterial, and antifungal activities of leaf, stem, and root extracts of *Adiantum capillus-veneris*. — *The Scientific World J.* Vol. 2014. ID 269793.
98. Hussain M. M., Ahmad B., Rashid E., Hashim S., Marwat K. B., Jan A. 2014. *In vitro* antibacterial activity of methanol and water extracts of *Adiantum capillus-veneris* and *Tagetes patula* against multidrug resistant bacterial strains. — *Pak. J. Bot.* 46(1): 363—368.
99. Tan Y. Y., Xiang Y. M. 2003. Effects of the alcohol extracts from rhizoma *Adiantum capillus-veneris* on rifampicin-resistant pulmonary tuberculosis cells. — *J. Wuhan Univ. Sci. Eng.* 16(3): 79—83.
100. Besharat M., Rahimian M., Besharat S., Ghaemi E. 2008. Antibacterial effects of *Adiantum capillus-veneris* ethanolic extract on three pathogenic bacteria *in vitro*. — *J. Clin. Diagn. Res.* 2: 1242—1243.
101. Besharat M., Rahimian M., Ghaemi E., Besharat S. 2009. Effect of ethanolic extract of *Adiantum capillus-veneris* in comparison with Gentamicine on 3 pathogenic bacteria *in vitro*. — *Pharmac. Sci.* 15(1): 49—52.

102. Bukhari I., Hassan M., Abbasi F. M., Shakir Y., Khan A., Ahmed S., Masood R., Burki Z. G., Afzal M., Khan U., Shahzad F., Hussain S. 2012. Antibacterial spectrum of traditionally used medicinal plants of Hazara, Pakistan. — Afr. J. Biotechnol. 11(33): 8404—8406.
103. Ferrazzano G. F., Roberto L., Catania M. R., Chiaviello A., De Natale A., Roscetto E., Pinto G., Pollio A., Ingenito A., Palumbo G. 2013. Screening and scoring of antimicrobial and biological activities of Italian vulnerary plants against major oral pathogenic bacteria. — Evid. Complement. Alternat. Med. ID 316280.
104. Yuan Q., Zhang X., Liu Z., Song S., Xue P., Wang J., Ruan J. 2013. Ethanol extract of *Adiantum capillus-veneris* L. suppresses the production of inflammatory mediators by inhibiting NF-κB activation. — J. Ethnopharmacol. 147(3):603—611.
105. Husson G. P., Vilagines R., Delaveau P. 1986. Research into the antiviral properties of some natural extracts. — Ann. Pharm. Franc. 44: 41—48.
106. Gupta V., Bansal P., Kumar P., Kaur G. 2010. Anti-inflammatory and anti-nociceptive activity of *Adiantum capillus*. — Res. J. Pharm. Technol. 3(2): 432— 435.
107. Haider S., Nazreen S., Alam M. M., Gupta A., Hamid H., Alam M. S. 2011. Anti-inflammatory and anti-nociceptive activities of ethanolic extract and its various fractions from *Adiantum capillus-veneris* Linn. — J. Ethnopharmacol. 138(3): 741—747.
108. Jain S. K., Singh T., Pande M., Nema N. 2014. Neuropharmacological screening of fronds of *Adiantum capillus-veneris* Linn. — Der Pharmacia Lettre. 6(3):167—175.
109. Nilforoushzhadeh M. A., Javanmard S. H., Ghanadian M., Asghari G., Jaffary F., Yakhdani A., Dana N., Fatemi S. 2014. The effects of *Adiantum capillus-veneris* on wound healing: An experimental *in vitro* evaluation. — Int. J. Prevent. Med. 5(10): 1261—1268.
110. Rajurkar N. S., Gaikwad K. 2012. Evaluation of phytochemicals, antioxidant activity and elemental content of *Adiantum capillus veneris* leaves. — J. Chem. Pharmac. Res. 4(1): 365—374.
111. Vijayalakshmi A., Kiran Kumar Y. 2013. Evaluation of goitrogenic and antithyroidal effect of the fern *Adiantum capillus-veneris*. — Braz. J. Pharmacogn. 23(5): 802—810.
112. Pourmorad F., Hosseinimehr S. J., Shahabimajd N. 2006. Antioxidant activity, phenol and flavonoid contents of some selected Iranian medicinal plants. — Afr. J. Biotechnol. 5(11): 1142—1145.
113. Jiang M.-Z., Yan H., Wen Y., Li X.-M. 2011. *In vitro* and *in vivo* studies of antioxidant activities of flavonoids from *Adiantum capillus-veneris* L. — Afr. J. Pharm. Pharmacol. 5(18): 2079—2085.
114. Jain S. R., Sharma S. N. 1967. Hypoglycaemic drugs of Indian indigenous origin. — Planta Med. 15(4): 439—442.
115. Neef H., Declercq P., Laekman G. 1995. Hypoglycaemic activity of selected European plants. — Phytother. Res. 9(1): 45—48.
116. Ranjan V., Vats M., Gupta N., Sardana S. 2014. Antidiabetic potential of whole plant of *Adiantum capillus-veneris* Linn. in streptozotocin induced diabetic rats. — Int. J. Pharmac. Clin. Res. 6(4): 341—347.
117. Yuan Q.-Y., Ruan J.-L., Cai Y.-L. 2010. Effect of water extracts of *Adiantum capillus-veneris* L. on urinary tract infections. — Chin. Pharmac. J. 45(18): 1389—1392.
118. Ahmed A., Wadud A., Jahan N., Bilal A., Hajera S. 2013. Efficacy of *Adiantum capillus-veneris* Linn. in chemically induced urolithiasis in rats. — J. Ethnopharmacol. 146(1): 411—416.

119. Kumar K. S., Anbu J., Anjana A., Sumithra M., Sathish R. 2012. Influence of ethanolic leaf extract of *Sargassum wightii* and *Adiantum capillus* on histamine induced asthma in animal model. — Int. J. Pharm. Pharmaceut. Sci. 4(Suppl. 4): 121—123.
120. Noubarani M., Rostamkhani H., Erfan M., Kamalinejad M., Eskandari M. R., Babaeian M., Salamzadeh J. 2014. Effect of *Adiantum capillus-veneris* Linn. on an animal model of testosterone-induced hair loss. — Iran. J. Pharm. Res. 13 (Suppl.): P. 113—118.
121. Murthy R. S. R., Basu D. K., Murti V. V. S. 1984. Anti-implantation activity of isoadiantone. — Indian Drugs. 21: 141—144.