

THE CHEMICAL COMPOSITION OF UNDERGROUND PART  
OF *FERULA SOONGARICA* (APIACEAE)

© T. V. Bukreyeva,\* A. L. Shavarda,\*,\*\*,<sup>1</sup> M. S. Egorov,\*\*

O. V. Matusevitch\*\*

\*Komarov Botanical Institute of the Russian Academy of Science, St. Petersburg

\*\*St. Petersburg State University, Russia

<sup>1</sup>E-mail: stachyopsis@gmail.com

REFERENCES

1. Rastitelnye resursy Rossii i sopredelnykh gosudarstv [Plant Resources of Russia and Neighboring Countries]. 1996. St. Petersburg. 576 p. (In Russian)
2. Rastitelnye resursy Rossii. Dikorastushchiye tsvetkovyye rasteniya, ikh komponentnyy sostav i biologicheskaya aktivnost. T. 3. Sem. Fabaceae—Apiaceae. [Plant Resources of Russia. Wild flowering plants, their composition and biological activity. Vol. 3. Fam. Fabaceae—Apiaceae]. 2010. St. Petersburg; Moscow. 601 p. (In Russian)
3. Golovina L. A., Saidkhodzhayev A. I., Malikov V. M., Pimenov M. G. 1987. Esters of *Ferula soongarica* and *Ferula subtilis*. — Khimiya prirodnikh soyedineniy. 5: 763—764. (In Russian)
4. Bukreyeva T. V., Shavarda A. L., Matusevich O. V., Morozov M. A. 2013. Ursane, oleanane and lupane triterpenoids from leaves from *Ledum palustre* (Ericaceae) of the North-West Russia. — Rastitelnye resursy. 49(3): 395—403. (In Russian)
5. Alam M. S., Chopra N., Ali M., Niwa M. 1996. Oleanen and stigmasterol derivatives from *Ambroma augusta*. — Phytochem. 41(4): 1197—1200.
6. Saidkhodzhayev A. I., Nikonov G. K. 1974. The structure of ferutinol. — Khimiya prirodnikh soyedineniy. 2: 166—171. (In Russian)
7. Kamilov Kh. M., Nikonov G. K. 1972. Phenols of *Ferula prangifolia*. — Khimiya prirodnikh soyedineniy. 6: 718—721.
8. Serkerov S. V. 1973. An investigation of the resin of roots of *Ferula jaeschkeana*. — Khimiya prirodnikh soyedineniy. 5: 664. (In Russian)
9. Kushmuradov A. Yu., Kadyrov A. Sh., Saidkhodzhayev A. I., Malikov V. M. 1978. Structure of an akiferidin and akiferidin. — Khimiya prirodnikh soyedineniy. 6: 725—727. (In Russian)
10. Sriraman M. C., Nagasampagi B. A., Panday R. C., Sukh Dev. 1973. Sesquiterpenes from *Ferula jaeschkeana* Vatke (part 1): jaeschkeanadiol-structure, stereochemistry. — Tetrahedron. 29: 985.
11. Kiryalov N. P. 1968. Types of the *Ferula* L. — sources of new biologically active connections. — Trudy BIN of the USSR. Seriya 5, 15: 129—149. (In Russian)
12. Saidkhodzhayev A. I., Nikonov G. K. 1972. The structure of ferutin. — Khimiya prirodnikh soyedineniy. 4: 559—563. (In Russian)
13. Saidkhodzhayev A. I. 1979. Seskviterpenovy derivatives from *Ferula*. — Khimiya prirodnikh soyedineniy. 4: 437—466. (In Russian)
14. Saidkhodzhayev A. I., Batsuren D., Malikov V. M. 1985. *Ferula akitschkensis* esters. — Khimiya prirodnikh soyedineniy. 5: 709—710. (In Russian)
15. Golovina L. A., Saidkhodzhayev A. I., Abdullaev N. D., Malikov V. M., Yagudayev M. R. 1983. Structure and stereochemistry of a lapiferin. — Khimiya prirodnikh soyedineniy. 3: 296—301. (In Russian)

16. Ampofo S. A., Roussis V., Wiemer D. F. 1987. New prenylated phenolics from *Piper auritum*. — *Phytochem.* 26(8): 2367—2370.
17. Maxwell A., Rampersad D. 1988. Prenylated 4-hydroxybenzoic acid derivatives from *Piper marginatum*. — *J. Nat. Prod.* 51(2): 370—373.
18. Rochfort S. J., Capon R. J. 1994. A new sesquiterpene/phenol from the Australian marine brown alga *Peritelia caudate*. — *J. Nat. Prod.* 57(6): 849—851.
19. Tamemoto K., Takaishi Y., Chen B., Kawazoe K., Shibata H., Higuti T., Honda G., Ito M., Takeda Y., Kodzhimatov O. K., Ashurmetov O. 2001. Sesquiterpenoids from the fruits of *Ferula kuhistanica* and antibacterial activity of the constituents of *F. kuhistanica*. — *Phytochem.* 58: 763—767.
20. Okamoto T., Yazaki K., Tabata M. 1995. Biosynthesis of shikonin derivatives from L-phenylalanine via deoxyshikonin in *Lithospermum* cell cultures and cell-free extracts. — *Phytochem.* 38(1): 83—88.