

**ADVANCES IN INVESTIGATION OF PHYTOCHEMICAL  
CONSTITUENTS AND BIOLOGICAL ACTIVITY  
OF *SELAGINELLA TAMARISCINA* (SELAGINELLACEAE)**

© L. M. Belenovskaya, A. L. Budantsev<sup>1</sup>

Komarov Botanical Institute of the Russian Academy of Sciences, St. Petersburg, Russian

<sup>1</sup> E-mail: abudantsev@mail.ru

REFERENCES

1. Tzvelev N. 2004. Degenere *Selaginella* P. Beauv. s. l. (Selaginellaceae) in Rossia. — Nov. Syst. Plant. Vasc. S. Petropolis. 36: 22–26. (In Russian)
2. Jermy A. C. 1990. Selaginellaceae. In: The families and genera of vascular plants. 1: 39–45.
3. Setiawan A. D. 2009. Traditionally utilization of *Selaginella*; field research and literature review. — Bioscience. 1(3): 146–158.
4. Charkevich S. S. 1985. Selaginellaceae Willk. — Vascular plants of the Soviet Far East. Leningrad. 1: 50–57. (In Russian)
5. Selaginellaceae. In: Flora of China. Vol. 2–3. [www.efloras.org/florataxon.aspx?flora\\_id=2&taxon\\_id=130007](http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=130007)
6. Pharmacopoeia of the People's Republic of China. 2005. Beijing. Vol. 1. 791 p. App.
7. Yang S. F., Chu S. C., Liu S. J., Chen Y. C., Chang Y. Z., Hsieh Y. S. 2007. Antimetastatic activities of *Selaginella tamariscina* (Beauv.) on lung cancer cells *in vitro* and *in vivo*. — J. Ethnopharmacol. 110(3): 483–489.
8. Lee J., Choi Y., Woo E.-R., Lee D. G. 2009. Antibacterial and synergistic activity of isocryptomerin isolated from *Selaginella tamariscina*. — J. Microbiol. Biotechnol. 19(2): 204–207.
9. Le M. H., Do T. T., Hoang T. H., Chau V. M., Nguyen T. D. 2012. Toxicity and anticancer effects of an extract from *Selaginella tamariscina* on a mice model. — Nat. Prod. Res. 26(12): 1130–1134.
10. Chandran G., Muralidhara. 2014. Insights on the neuromodulatory propensity of *Selaginella* (Sanjeevani) and its potential pharmacological applications / CHS and Neurolog. Disord. — Drug Targets. 13: 82–95.
11. Nguyen P. H., Ji D. J., Han Y. R., Choi J. S., Rhyu D. Y., Min B. S., Woo M. H. 2015. Selaginellin and biflavonoids as protein tyrosine phosphatase 1B inhibitors from *Selaginella tamariscina* and their glucose uptake stimulatory effects. — Bioorg. Med. Chem. 23(13): 3730–3737.
12. Zhang L. P., Liang Y. M., Wei X. C., Cheng D. L. 2007. A new unusual natural pigment from *Selaginella sinensis* and its noticeable physicochemical properties. — J. Org. Chem. 72(10): 3921–3924.
13. Kim J. H., Cho C. W., Tai B. H., Yang S. Y., Choi G.-S., Kang J. S., Kim Y. H. 2015. Soluble epoxide hydrolase inhibitory activity of selaginellin derivatives from *Selaginella tamariscina*. — Molecules. 20(12): 21 405–21 414.
14. Jing Y., Zhang H., Zhang G., Yu X., Liu H., Sun X. 2011. Isolation and identification of chemical constituents from whole plant of *Selaginella tamariscina* (Beauv.) Spring. — Shenyang Yaoke Daxue Xuebao. 28(9): 700–702.
15. Liu R., Liu J., Xu K., Zou H., Song L., Dang R., Zou Z., Li G., Tan G. 2011. Chemical constituents in *Selaginella tamariscina*. — Zhongnan Yaoxue. 9(8): 564–566.

16. Cao Y., Wu Y., Zhou X., Qian F., Fan H., Wang Q. 2012. Simultaneous determination of selaginellins and biflavones in *Selaginella tamariscina* and *Selaginella pulvinata* by HPLC. — Zhongguo Zhong Yao Za Zhi. 37(9): 1254—1258.
17. Cao Y., Wu Y., Wen X., Weng Y., Yan W., Wang Q. 2012. Cytotoxic constituents from *Selaginella tamariscina*. — Tianran Chanwu Yanjiu Yu Kaifa. 24(2): 150—154.
18. Shao Y., Yang C., Xia W. 2012. Isolation and identification of chemical constituents of *Selaginella tamariscina*. — Agric. Sci. Technol. 13(7): 1447—1449, 1464.
19. Shi S.-P., Wang Y.-Z., Zheng X.-K., Feng W.-S., Tu P.-F. 2012. Chemotaxonomic significance and biosynthesis of selaginellin from *Selaginella tamariscina*. — Biochem. Syst. Ecol. 45: 151—154.
20. Yang C., Shao Y., Li K., Xia W. 2012. Bioactive selaginellins from *Selaginella tamariscina* (Beauv.) Spring. — Beilstein J. Organic Chem. 8: 1884—1889.
21. Cheng X.-L., Ma S.-C., Yu J.-D., Yang S.-Y., Xiao X.-Y., Hu J.-Y., Lu Y., Shaw P.-C., But P.-Y., Lin R.-C. 2008. Selaginellin A and B, two novel natural pigments isolated from *Selaginella tamariscina*. — Chem. Pharm. Bull. 56(7): 982—984.
22. Zhang G.-G., Jing Y., Zhang H.-M., Ma E.-L., Guan J., Xue F.-N., Liu H.-X., Sun X.-Y. 2012. Isolation and cytotoxic activity of selaginellin derivatives and bioflavonoids from *Selaginella tamariscina*. — Planta Med. 78(4): 390—392.
23. Nguyen P.-H., Zhao B.-T., Ali M. Y., Choi J.-S., Rhyu D.-Y., Min B.-S., Woo M.-H. 2015. Insulin-mimetic selaginellins from *Selaginella tamariscina* with protein tyrosine phosphatase 1B (PTP1B) inhibitory activity. — J. Nat. Prod. 78(1): 34—42.
24. Xu K.-P., Zou H., Tan Q., Li F.-S., Liu J.-F., Xiang H.-L., Zou Z.-X., Long H.-P., Li Y.-J., Tan G.-S. 2011. Selaginellins I and J, two new alkynyl phenols, from *Selaginella tamariscina* (Beauv.) Spring. — J. Asian Nat. Prod. Res. 13(2): 93—96.
25. Xu K.-P., Li J., Zhu G.-Z., He X.-A., Li F.-S., Zou Z.-X., Tan L.-H., Cheng F., Tan G.-S. 2015. New selaginellin derivatives from *Selaginella tamariscina*. — J. Asian Nat. Prod. Res. 17(8): 819—822.
26. Xu K.-P., Zou H., Li F.-S., Xiang H.-L., Zou Z.-X., Long H.-P., Li J., Luo Y.-J., Li Y.-J., Tan G.-S. 2011. Two new selaginellin derivatives from *Selaginella tamariscina* (Beauv.) Spring / J. Asian Nat. Prod. Res. 13(4): 356—360.
27. Zhao B. T., Nguyen D. H., Choi J. S., Woo M. H. 2015. Six selaginellin derivatives with protein tyrosine phosphatase 1B inhibitory activity from *Selaginella tamariscina*. — Planta Med. 81(11): 939.
28. Zheng X., Shi S., Bi Y., Feng W. 2004. Study on flavonoids in *Selaginella tamariscina* (Beauv.) Spring. — Zhongcaoyao. 35(7): 742—743.
29. Zheng X., Zhao X., Feng W., Wang Y., Guo Y. 2009. Chemical constituents of hypolipemic parts in *Selaginella tamariscina*. — Zhongcaoyao. 40(11): 1712—1715.
30. Wang X., Li Z., Gao L., Li J., Hua H. 2009. Chemical constituents of *Selaginella tamariscina* (Beauv.) Spring. — Shenyang Yaoke Daxue Xuebao. 26(8): 623—625, 647.
31. Liu J.-F., Xu K.-P., Li F.-S., Shen J., Hu C.-P., Zou H., Yang F., Liu G.-R., Xiang H.-L., Zhou Y.-J., Li Y.-J., Tan G.-S. 2010. A new flavonoid from *Selaginella tamariscina* (Beauv.) Spring. — Chem. Pharm. Bull. 58(4): 549—551.
32. Liu J.-F., Xu K.-P., Jiang D.-J., Li F.-S., Shen J., Zhou Y.-J., Xu P.-S., Tan B., Tan G.-S. 2009. A new flavonoid from *Selaginella tamariscina*. — Chin. Chem. Lett. 20(5): 595—597.
33. Woo E. R., Pokharel Y. R., Yang J. W., Lee S. Y., Kang K. W. 2006. Inhibition of nuclear factor- $\kappa$ B activation by 2R,8S-biapigenin. — Biol. Pharm. Bull. 29(5): 976—980.
34. Lee C.-W., Choi H.-J., Kim H.-S., Kim D.-H., Chang I.-S., Moon H. T., Lee S.-Y., Oh W. K., Woo E.-R. 2008. Biflavonoids isolated from *Selaginella tamariscina* regulate the expression of matrix metalloproteinase in human skin fibroblasts. — Bioorg. Med. Chem. 16(2): 732—738.
35. Okigawa M., Wu C. H., Kawano M. 1971. Biflavones in *Selaginella* species. — Phytochemistry. 10(12): 3286—3287.

36. Lee J., Choi Y., Woo E.-R., Lee D. G. 2009. Isocryptomerin, a novel membrane-active antifungal compound from *Selaginella tamariscina*. — Biochem. Biophys. Res. Commun. 379(3): 676—680.
37. Wang J., Liu S., Ma B., Chen L., Song F., Liu Z., Liu C.-M. 2014. Rapid screening and detection of XOD inhibitors from *S. tamariscina* by ultrafiltration LC-PDA-ESI-MS combined with HPCCC. — Anal. Bioanal. Chem. 406(28): 7379—7387.
38. Zhang Y.-X., Li Q.-Y., Yan L.-L., Shi Y. 2011. Structural characterization and identification of biflavones in *Selaginella tamariscina* by liquid chromatography-diode-array detection/electrospray ionization tandem mass spectrometry. — Rapid Commun. Mass Spectrom. 25(15): 2173—2186.
39. Wu C., Yang Y., Kang W. 2013. Determination of amentoflavone contents in *Selaginella tamariscina* and different processed products by HPLC. — Tianran Chanwu Yanjiu Yu Kaifa. 25(8): 1089—1091, 1129.
40. Kim J. H., Tai B. H., Yang S. Y., Kim J. E., Kim S. K., Kim Y. H. 2015. Soluble epoxide hydrolase inhibitory constituents from *Selaginella tamariscina*. — Bull. Korean Chem. Soc. 36(1): 300—304.
41. Le N. L., Pham G. D. 2003. Biflavonoids from *Selaginella tamariscina* (Selaginellaceae). — Tap Chi Hoa Hoc. 41(Spec.): 111—114.
42. Yang J. W., Pokharel Y. R., Kim M.-R., Woo E.-R., Choi H.K., Kang K. W. 2006. Inhibition of inducible nitric oxide synthase by sumafavone isolated from *Selaginella tamariscina*. — J. Ethnopharmacol. 105(1—2): 107—113.
43. Shin D. I., Kim J. 1994. Chemical constituents of *Selaginella tamariscina*. — Yakhak Hoechi. 38(6): 683—686.
44. Shin D. I., Kim J. 1991. Flavonoid constituents of *Selaginella tamariscina*. — Saengyak Hakhoechi. 22(4): 207—210.
45. Meurer-Grimes B., Yu J., Valdespino I. A. Q. 1999. Chamaecyparin — a rare biflavone from *Selaginella* species. — Z. Naturforsch., C: Biosci. 54(12): 1143—1144.
46. Bi Y. F., Zheng X. K., Feng W. S., Shi S. P. 2004. Isolation and structural identification of chemical constituents from *Selaginella tamariscina* (Beauv.) Spring. — Yao Xue Xue Bao. 39(1): 41—45.
47. Zheng X.-K., Shi S.-P., Bi Y.-F., Feng W.-S., Wang J.-F., Niu J.-Z. 2004. The isolation and identification of a new lignanoside from *Selaginella tamariscina* (Beauv.) Spring. — Yao Xue Xue Bao. 39(9): 719—721.
48. Zheng X.-K., Bi Y.-F., Feng W.-S., Shi S.-P., Wang J.-F., Niu J.-Z. 2004. Study on the chemical constituents of *Selaginella tamariscina* (Beauv.) Spring. — Yao Xue Xue Bao. 39(4): 266—268.
49. Gao L. L., Yin S. L., Li Z. L., Sha Y., Pei Y. H., Shi G., Jing Y. K., Hua H. M. 2007. Three novel sterols isolated from *Selaginella tamariscina* with antiproliferative activity in leukemia cells. — Planta Med. 73(10): 1112—1115.
50. Roh E. M., Jin Q., Jin H. G., Shin J. E., Choi E. J., Moon Y. H., Woo E. R. 2010. Structural implication in cytotoxic effects of sterols from *Selaginella tamariscina*. — Arch. Pharm. Res. 33(9): 1347—1353.
51. Hwang J. H., Choi H., Woo E.-R., Lee D. G. 2013. Antibacterial effect of amentoflavone and its synergistic effect with antibiotics. — J. Microbiol. Biotechnol. 23(7): 953—958.
52. Jung H. J., Sung W. S., Yeo S.-H., Kim H. S., Lee I.-S., Woo E.-R., Lee D. G. 2006. Antifungal effect of amentoflavone derived from *Selaginella tamariscina*. — Arch. Pharmacol. Res. 29(9): 746—751.
53. Jung H. Y., Park K., Lee I.-S., Kim H. S., Yeo S.-H., Woo E.-R., Lee D. G. 2007. S-Phase accumulation of *Candida albicans* by anticandidal effect of amentoflavone isolated from *Selaginella tamariscina*. — Biol. Pharm. Bull. 30(10): 1969—1971.
54. Hwang I. S., Lee J., Jin H. G., Woo E. R., Lee D. G. 2012. Amentoflavone stimulates mitochondrial dysfunction and induces apoptotic cell death in *Candida albicans*. — Mycopathologia. 173(4): 207—218.
55. Han M.-M., Yang J., Gao X.-M., Wang S.-Q. 2013. Inhibition of EV71 replication *in vitro* by polysaccharides from *Selaginella tamariscina*. — J. Internat. Pharmaceut. Res. 40(1): 58—62.

56. Herrmann F., Romero M. R., Blazquez A. G., Kaufmann D., Ashour M. L., Kahl S., Marin J. J. G., Efferth T., Wink M. 2011. Diversity of pharmacological properties in Chinese and European medicinal plants: cytotoxicity, antiviral and antitrypanosomal screening of 82 herbal drugs. — *Diversity*. 3: 547—580.
57. Kim H. K., Son K. H., Chang H. W., Kang S. S., Kim H. P. 1998. Amentoflavone, a plant biflavone: a new potential anti-inflammatory agent. *Arch. Pharmacol. Res.* 21(4): 406—410.
58. Kim H. P., Mani I., Iversen L., Ziboh V. A. 1998. Effects of naturally-occurring flavonoids and biflavonoids on epidermal cyclooxygenase and lipoxygenase from guinea-pigs. — *Prostagl. Leukot. Essent. Fatty Acids*. 58(1): 17—24.
59. Banerjee T., Valacchi G., Ziboh V. A., van der Vliet A. 2002. Inhibition of TNF $\alpha$ -induced cyclooxygenase-2 expression by amentoflavone through suppression of NF- $\kappa$ B activation in A549 cells. — *Mol. Cell. Biochem.* 238(1—2): 105—110.
60. Zheng X.-K., Liu C.-X., Zhai Y.-Y., Li L.-L., Wang X.-I., Feng W.-S. 2013. Protection effect of amentoflavone in *Selaginella tamariscina* against TNF- $\alpha$ -induced vascular injury of endothelial cells. — *Yaoxue Xuebao*. 48(9): 1503—1509.
61. Woo E. R., Lee J. Y., Cho I. J., Kim S. G., Kang K. W. 2005. Amentoflavone inhibits the induction of nitric oxide synthase by inhibiting NF- $\kappa$ B activation in macrophages. — *Pharmacol. Res.* 51(6): 539—546.
62. Pokharel Y. R., Yang J. W., Kim J. Y., Oh H. W., Jeong H. G., Woo E.-R., Kang K. W. 2006. Potent inhibition of the inductions of inducible nitric oxide synthase and cyclooxygenase-2 by taiwaniaflavone Nitric Oxide — *Biol. and Chem.* 15(3): 217—225.
63. Itokawa H. 1988. Research on antineoplastic drugs from natural sources. Especially from higher plants. — *Yakugaku Zasshi*. 108(9): 824—841.
64. Lee I. S., Kim S. U., Lee Y. S., Park S. H., Rhee I. J. 1998. Molecular mechanisms of *Selaginella tamariscina* for antineoplastic activity in human leukemia cell line U937. — *Animal Cell Technology: Basic and Applied Aspects, Proc. of the Ann. Meeting of the Japan. Assoc. Animal Cell Technol.*, 9th, Yokohama, Sept. 1—4, 1996: 83—89.
65. Lee I.-S., Nishikawa A., Furukawa F., Kasahara K.-I., Kim S.-U. 1999. Effects of *Selaginella tamariscina* on *in vitro* tumor cell growth, p53 expression, G1 arrest and *in vivo* gastric cell proliferation. — *Cancer Lett.* 144(1): 93—99.
66. Li J., Lei X., Chen K.-L. 2014. Comparison of cytotoxic activities of extracts from *Selaginella* species. *Pharmacogn. Mag.* 10(40): 529—535.
67. Ahn S. H., Mun Y. J., Lee S. W., Kwak S., Choi M. K., Baik S. K., Kim Y. M., Woo W. H. 2006. *Selaginella tamariscina* induces apoptosis via a caspase-3-mediated mechanism in human promyelocytic leukemia cells. — *J. Med. Food*. 9(2): 138—144.
68. Jing Y., Zhang G., Ma E., Zhang H., Guan J., He J. 2010. Amentoflavone and the extracts from *Selaginella tamariscina* and their anticancer activity. — *Asian J. Tradit. Med.* 5(6): 226—229.
69. Pei J.-S., Liu C.-C., Hsu Y.-N., Lin L.-L., Wang S.-C., Chung J.-G., Bau D.-T., Lin S.-S. 2012. Amentoflavone induces cell-cycle arrest and apoptosis in MCF-7 human breast cancer cells via mitochondria-dependent pathway. — *In Vivo*. 26(6): 963—970.
70. Lee J. S., Lee M. S., Oh W. K., Sul J. Y. 2009. Fatty acid synthase inhibition by amentoflavone induces apoptosis and antiproliferation in human breast cancer cells. — *Biol. Pharm. Bull.* 32(8): 1427—1432.
71. Zhang J., Liu Z., Cao W., Chen L., Xiong X., Qin S., Zhang Z., Li X., Hu C.-A. 2014. Amentoflavone inhibits angiogenesis of endothelial cells and stimulates apoptosis in hypertrophic scar fibroblasts. — *Burns*. 40(5): 922—929.
72. Lee S., Kim H., Kang J. W., Kim J. H., Lee D. H., Kim M. S., Yang Y., Woo E. R., Kim Y. M., Hong J., Yoon D. Y. 2011. The biflavonoid amentoflavone induces apoptosis via suppressing E7 expression, cell cycle arrest at sub-G1 phase, and mitochondria-emanated intrinsic pathways in human cervical cancer cells. — *J. Med. Food*. 14(7—8): 808—816.

73. Lee S. J., Choi J. H., Son K. H., Chang H. W., Kang S. S., Kim H. P. 1995. Suppression of mouse lymphocyte proliferation *in vitro* by naturally-occurring bioflavonoids. — *Life Sci.* 57(6): 551—558.
74. Zheng X.-K., Ning T.-L., Wang X.-L., Liu C.-X., Liu Y.-Y., Feng W.-S. 2011. Effects of total flavonoids and amentoflavone isolated from *Selaginella tamariscina* on human umbilical vein endothelial cells proliferation and VEGF expression. — *Chin. Pharmaceut. J.* 46(13): 998—1002.
75. Hsin C.-H., Wu B.-C., Chuang C.-Y., Yang S.-F., Hsieh Y.-H., Ho H.-Y., Lin H.-P., Chen M.-K., Lin C.-W. 2013. *Selaginella tamariscina* extract suppresses TPA-induced invasion and metastasis through inhibition of MMP-9 in human nasopharyngeal carcinoma HONE-1 cells. — *BMC Complement. Alternat. Med.* 13. Art. no. 234.
76. Yang J. S., Lin C. W., Hsieh Y. S., Cheng H. L., Lue K. H., Yang S. F., Lu K. H. 2013. *Selaginella tamariscina* (Beauv.) possesses antimetastatic effects on human osteosarcoma cells by decreasing MMP-2 and MMP-9 secretions via p38 and Akt signaling pathways. — *Food Chem. Toxicol.* 59: 801—807.
77. Yang J. S., Lin C. W., Hsin C. H., Hsieh M. J., Chang Y. C. 2013. *Selaginella tamariscina* attenuates metastasis via Akt pathways in oral cancer cells. — *PLoS One.* 8(6). e68035.
78. Kuo Y. C., Sun C. M., Tsai W. J., Ou J. C., Chen W. P., Lin C. Y. Chinese herbs as modulators of human mesangial cell proliferation: Preliminary studies. — *J. Lab. Clin. Med.* 1998. Vol. 132, N 1. P. 76—85.
79. Miao N., Tao H., Tong C., Xuan H., Zhang G. 1996. The *Selaginella tamariscina* (Beauv.) Spring complex in the treatment of experimental diabetes and its effect on blood rheology. — *Zhongguo Zhong Yao Za Zhi.* 21(8): 493—495, 512.
80. Zheng X.-K., Li Y.-J., Zhang L., Feng W.-S., Zhang X. 2011. Antihyperglycemic activity of *Selaginella tamariscina* (Beauv.) Spring. — *J. Ethnopharmacol.* 133(2): 531—537.
81. Zheng X.-K., Zhang L., Wang W.-W., Wu Y.-Y., Zhang Q.-B., Feng W.-S. 2011. Anti-diabetic activity and potential mechanism of total flavonoids of *Selaginella tamariscina* (Beauv.) Spring in rats induced by high fat diet and low dose STZ. — *J. Ethnopharmacol.* 137(1): 662—668.
82. Zheng X.-K., Wang W.-W., Zhang L., Su C.-F., Wu Y.-Y., Ke Y.-Y., Hou Q.-W., Liu Z.-Y., Gao A.-S., Feng W.-S. 2013. Antihyperlipidaemic and antioxidant effect of the total flavonoids in *Selaginella tamariscina* (Beauv.) Spring in diabetic mice. — *J. Pharmacy Pharmacol.* 65(5): 757—766.
83. Zheng X.-K., Su C.-F., Zhang L., Gao A.-S., Ke Y.-Y., Yuan P.-P., Wang X.-L., Zhang X., Feng W.-S. 2013. Anti-diabetic activity of amentoflavone in *Selaginella tamariscina* in diabetic mice. — *Zhongguo Shiyang Fangjixue Zazhi.* 19(17): 198—202.
84. Zheng X. K., Zhang X., Wang X. L., Hou Q., Chen L., Wang Y. 2010. Effect of *Selaginella tamariscina* (Beauv.) Spring extract on hepatic steatosis and its hepatoprotective effect in rats with hyperlipidemia. — *Chin. New Drugs J.* 14: 1216—1221.
85. Yue S.-M., Kang W.-Y. 2011. Lowering blood lipid and hepatoprotective activity of amentoflavone from *Selaginella tamariscina* *in vivo*. — *J. Med. Plants Res.* 5(14): 3007—3014.
86. Oreshko N. A., Bovdey N. A., Kisselev P. A., Ha Le Minh, Long Pham Quoc, Chlebnikova T. S., Lachvitch F. A. 2013. Charakteristika antioxidantnykh svoystv ekstraktov iz rasteniy semeystva Selaginellaceae [Characterization of antioxidant properties of the extracts from plants of Selaginellaceae family]. — *Vestsi Natsyanalnai Akademii Navuk Belarusi, Seryya Biyalagichnykh Navuk.* 1: 54—58. (In Russian)
87. Sim G. S., Kim J. H., Park S. M., Lee B. C., Yun Y. P., Zhang Y. H., Pyo H. B. 2004. Effect of the *Selaginella tamariscina* extract on antioxidation and inhibition of matrix metalloproteinase-1 in human skin fibroblasts. — *Yakhak Hoechi.* 48(2): 165—170.
88. Nam K. A., Lee S. K. 1999. Evaluation of the antioxidant potential of natural products mediated by inhibition of xanthine oxidase activity. — *Nat. Prod. Sci.* 5(4): 165—171.
89. Lee C.-W., Na Y., Park N.-H., Kim H.-S., Ahn S. M., Kim J. W., Kim H.-K., Jang Y. P. 2012. Amentoflavone inhibits UVB-induced matrix metalloproteinase-1 expression through the

- modulation of AP-1 components in normal human fibroblasts. — Appl. Biochem. Biotechnol. 166(5): 1137—1147.
90. Lee H. S., Oh W. K., Kim B. Y., Ahn S. C., Kang D. O., Shin D. I., Kim J., Mheen T.-I., Ahn J. S. 1996. Inhibition of phospholipase Cg1 activity by amentoflavone isolated from *Selaginella tamariscina*. — Planta Med. 62(4): 293—296.
  91. Na M. K., Kim K. A., Oh H., Kim B. Y., Oh W. K., Ahn J. S. 2007. Protein tyrosine phosphatase 1B inhibitory activity of amentoflavone and its cellular effect on tyrosine phosphorylation of insulin receptors. — Biol. Pharm. Bull. 30(2): 379—381.
  92. Lee J.-Y., Jung K.-W., Woo E.-R., Kim Y. 2008. Docking study of biflavonoids, allosteric inhibitors of protein tyrosine phosphatase 1B. — Bull. Korean Chem. Soc. 29(8): 1479—1484.
  93. Jeong H. G., You H. J., Chang Y.-S., Park S. J., Moon Y. H., Woo E.-R. 2002. Inhibitory effects of medicinal herbs on cytochrome P450 drug metabolizing enzymes. — Korean J. Pharmacogn. 33(1): 35—41.
  94. Kang D. G., Yin M. H., Oh H., Lee D.H., Lee H. S. 2004. Vasorelaxation by amentoflavone isolated from *Selaginella tamariscina*. — Planta Med. 70(8): 718—722.
  95. Yin M. H., Kang D. G., Choi D. H., Kwon T. O., Lee H. S. 2005. Screening of vasorelaxant activity of some medicinal plants used in Oriental medicines. — J. Ethnopharmacol. 99(1): 113—117.
  96. Xu L., Yin M. 2009. Experiment study on vasodilative effects of amentoflavone ethyl acetate extract of *Selaginella tamariscina*. — Yanbian Daxue Yixue Xuebao. 32(4): 246—248.
  97. Shim K.-S., Kang J.-S., Lee M.-H., Ma J. Y. 2012. *Selaginella tamariscina* water extract inhibits receptor activator for the nuclear factor- $\kappa$ B ligand-induced osteoclast differentiation by blocking mitogen-activated protein kinase and NF- $\kappa$ B signaling. — Pharmacogn. Mag. 8(31): 184—191.
  98. You H. J., Woo E. R. 2004. The suppressive effect of medicinal herbs on the H<sub>2</sub>O<sub>2</sub>-induced hypoxanthine-guanine phosphoribosyl transferase (HPRT) mutation. — Korean J. Pharmacogn. 35(1): 28—34.
  99. Zheng X.-K., Zhu Y.-H., Zhai P.-F., Zhou Z., Lin R.-X., Feng W.-S., Wang S.-Q. 2010. Radioprotective effect of monosaccharides from *Selaginella tamariscina*. — Zhongguo Xinyao Zazhi. 19(12): 1026—1030, 1035.
  100. Zheng J. X., Zhou T. C., Xu K., Li L. N. 2006. Effect of *Selaginella* combined with radiotherapy on nasopharyngeal carcinoma. — Nan Fang Yi Ke Da Xue Xue Bao. 26(2): 247—248.
  101. Amella M., Bronner C., Briancon F., Haag M., Anton R., Landry Y. 1985. Inhibition of mast cell histamine release by flavonoids and bioflavonoids. — Planta Med. 51(1): 16—20.
  102. Dai Y., But P. P., Chu L.-M., Chan Y.-P. 2005. Inhibitory effects of *Selaginella tamariscina* on immediate allergic reactions. — Am. J. Chin. Med. 33(6): 957—966.
  103. Liu J., Wang C.-Y. 2009. Study on anti-fatigue biological effect of polysaccharide from *Selaginella tamariscina*. — Jiamusi Daxue Xuebao, Ziran Kexueban. 27(4): 634—636.