

**SKELETON TYPES OF DITERPENOIDS AND THE SYSTEM OF GENUS *EUPHORBIA* (EUPHORBIACEAE)**

© **A. L. Shavarda**,\* **D. V. Geltman**\*\*

Komarov Botanical Institute of the Russian Academy of Science, St. Petersburg, Russia

\* E-mail: shavarda@binran.ru

\*\*E-mail: geltman@binran.ru

REFERENCES

1. Boissier E. 1862. Euphorbiaceae — Euphorbieae. In: Candolle A. P. de. Prodrromus systematis naturalis regni vegetabilis. Parisiis. Pars 15, sect. 2. P. 3—188.
2. Prokhanov Ya. I. 1933. Conspectus systematicus Tithymalorum Asiae Mediae. Moscow; Leningrad. 241 p. (In Russian)
3. Prokhanov Ya. I. 1949. *Euphorbia*. In: Flora of the URSS. Moscow; Leningrad. Vol. 14. P. 304—495. (In Russian)
4. Prokhanov Ya. I. 1964. Conspectus systematis Euphorbiarum URSS. Addenda et corrigenda. — Novosty Sistematiki Vysshich Rasteniy. 1: 226—237.
5. Steinmann V. W., Porter J. M. 2002. Phylogenetic relationships in Euphorbieae (Euphorbiaceae) based on ITS and ndhF sequence data. — Ann. Missouri Bot. Garden. 89(4): 453—490. doi: 10.2307/3298591
6. Bruyns P. V., Mapaya R. J., Hedderson T. 2006. A new subgeneric classification for *Euphorbia* (Euphorbiaceae) in southern Africa based on ITS and psbA-trnH sequence data. — Taxon. 55(2): 397—420.
7. Park K.-R., Jansen R. K. 2007. A phylogeny of *Euphorbieae* subtribe *Euphorbiinae* (Euphorbiaceae) based on molecular data. — J. Plant Biol. 50(6): 644—649.
8. Zimmermann N. F. A., Ritz C. M., Hellwig F. H. 2010. Further support for the phylogenetic relationships within *Euphorbia* L. (Euphorbiaceae) from nrITS and trnL—trnF IGS sequence data. — Plant Syst. Evol. 286: 39—58.
9. Bruyns P. V., Klak C., Hanáček P. 2011. Age and diversity in Old World succulent species of *Euphorbia* (Euphorbiaceae). — Taxon. 60(6): 1717—1733.
10. Horn J. W., van Ee B. W., Morawetz J. J., Riina R., Steinmann V. W., Berry P. E., Wurdack K. J. 2012. Phylogenetics and the evolution of major structural characters in the giant genus *Euphorbia* L. (Euphorbiaceae). — Mol. Phylogen. Evol. 63(2): 305—326. doi: 10.1016/j.ympev.2011.12.022
11. Yang Y., Riina R., Morawetz J. J., Haevermans T., Aubriot X., Berry P. E. 2012. Molecular phylogenetics and classification of *Euphorbia* subgenus *Chamaesyce* (Euphorbiaceae). — Taxon. 61(4): 764—789.
12. Dorsey B. L., Haevermans T., Aubriot X., Morawetz J. J., Riina R., Steinmann V. W., Berry, P. E. 2013. Phylogenetics, morphological evolution, and classification of *Euphorbia* subgenus *Euphorbia*. — Taxon. 62(2): 291—315.

13. Peirson J. A., Bruyins V., Riina R., Morawetz J. J., Berry P. E. 2013. A molecular phylogeny and classification of the largely succulent and mainly African *Euphorbia* subg. *Athymalus* (Euphorbiaceae). — *Taxon*. 62(6): 1178—1199.
14. Riina R., Peirson J. A., Geltman D. V., Molero J., Frajman B., Pahlevani A., Barres L., Morawetz J. J., Salmaki Y., Zarre S., Kryukov A., Bruyins P. V., Berry P. E. 2013. A worldwide molecular phylogeny and classification of the leafy spurges, *Euphorbia* subgenus *Esula* (Euphorbiaceae). — *Taxon*. 62(2): 316—342.
15. Ponsinet G., Ourisson G. 1965. Études chimio-taxonomiques dans la famille des Euphorbiacées — I. — *Phytochemistry*. 4(6): 799—811.
16. Ponsinet G., Ourisson G. 1965a. Études chimio-taxonomiques dans la famille des Euphorbiacées — II. — *Phytochemistry*. 4(6): 813—815.
17. Ponsinet G., Ourisson G. 1968. Études chimiotaxonomiques dans la famille des Euphorbiacées — III. Répartition des triterpènes dans les latex *Euphorbia*. — *Phytochemistry*. 7(1): 89—98.
18. Shi Q.-W., Su X.-H., Kiyota H. 2008. Chemical and pharmacological research of the plants in genus *Euphorbia*. — *Chem. Rev.* 108(10): 4295—4327.
19. Vasas A., Rédei D., Csupor D., Molnár J., Hohmann J. 2012. Diterpenes from European *Euphorbia* species serving as prototypes for natural-product-based drug discovery. — *Euro J. Organic Chem.* 27: 5115—5130. doi: 10.1002/ejoc.201200733
20. Vasas A., Hohmann J. 2014. *Euphorbia* diterpenes: isolation, structure, biological activity, and synthesis (2008—2012). — *Chem. Rev.* 114(17): 8579—8612. doi: 10.1021/cr400541j
21. Durán-Peña M. J., Botubol Ares J. M., Collado I. G., Hernández-Galán R. 2014. Biologically active diterpenes containing a gem-dimethylcyclopropane subunit: an intriguing source of PKC modulators. — *Nat. Prod. Rep.* 31(7): 940—952. doi: 10.1039/C4NP00008K
22. Ernst M., Grace O. M., Saslis-Lagoudakis C. H., Nilsson N., Simonsen H. T., Rønsted N. 2015. Global medicinal uses of *Euphorbia* L. (Euphorbiaceae). — *J. Ethnopharm.* 176: 90—101. doi: 10.1016/j.jep.2015.10.025
23. MacMillan J., Beale M. H. 1999. Diterpene biosynthesis. In: *Comprehensive natural products chemistry I*. Eds. by O. Meth-Cohn, D. Barton, K. Nakanishi. Oxford. Vol. 2. P. 217—241.
24. Chen F., Tholi D., Bohlmann J., Pichersky E. 2011. The family of terpene synthases in plants: a mid-size family of genes for specialized metabolism that is highly diversified throughout the kingdom. — *Plant J.* 66(1): 212.
25. Zerbe P., Hamberger B., Yuen M. M. S., Chiang A., Sandhu H. K., Madilao L. L., Nguyen A., Hamberger B., Bach S. S., Bohlmann J. 2013. Gene discovery of modular diterpene metabolism in nonmodel systems. — *Plant Physiol.* 162(2): 1073—1091.
26. King A. J., Brown G. D., Gilday A. D., Larson T. R., Graham I. A. 2014. Production of bioactive diterpenoids in the Euphorbiaceae depends on evolutionarily conserved gene clusters. — *The Plant Cell.* 26(8): 3286—3298.
27. Zerbe P., Bohlmann J. 2015. Plant diterpene synthases: exploring modularity and metabolic diversity for bioengineering. — *Trends Biotechnol.* 33(7): 419—428. doi: 10.1016/j.tibtech.2015.04.006

28. Toyomasu T., Sassa T. 2010. Diterpenes. In: Comprehensive Natural Products II Chemistry and Biology. Eds. by L. Mander, H.-W. Liu (Ben). Amsterdam. Vol. 1. P. 643—669.
29. Riina R., Berry P. E. (coordinators). 2016. *Euphorbia* planetary biodiversity inventory database. Available from Tolkin (<http://app.tolkin.org/projects/72/taxa>).
30. Buckingham J., Cooper C. M., Purchase R. 2015. Natural products desk reference. Boca Raton; London; New York. 235 p.
31. Wang H.-B., Chen W., Zhang Y.-Y., Wang X.-Y., Liu L.-P., Tong L.-J., Chen Y. 2013. Four new diterpenoids from the roots of *Euphorbia fischeriana*. — *Fitoterapia*. 91: 211—216. doi: 10.1016/j.fitote.2013.09.003
32. Yang D.-S., Peng W.-B., Li Z.-L., Wang X., Wei J.-G., Liu K.-C., Yang Y.-P., Li X.-L. 2013. Chemical constituents from the aerial parts of *Euphorbia sikkimensis* and their bioactivities. — *Nat. Prod. Biopros.* 3(3): 112—116.
33. Ahmad S., Seligmann O., Wagner H., Hussain G. 1977. Caudicifolin, a new diterpene from *Euphorbia caudicifolia*. — *Phytochemistry*. 16(11): 1844.
34. Liang X., Liu Z., Cao Y.-F., Meng D., Hua H. 2014. Chemotaxonomic and chemical studies on two plants from genus of *Euphorbia*: *Euphorbia fischeriana* and *Euphorbia ebracteolata*. — *Biochem. Syst. Ecol.* 57: 345—349. doi: 10.1016/j.bse.2014.09.009
35. Liu X.-X., Shang L., Huang C., Feng X.-S., Li W., Sha Y., Huang J., Wang J.-H. 2016. Four new diterpenoids isolated from the *Euphorbia rapulum*. — *J. Asian Nat. Prod. Res.* 18(9): 823—830. doi: 10.1080/10286020.2016.1170813
36. Che C.-T., Zhou T.-X., Ma Q.-G., Qin G.-W., Williams I. D., Wu H.-M., Shi Z.-S. 1999. Diterpenes and aromatic compounds from *Euphorbia fischeriana*. — *Phytochemistry*. 52(1): 117—121.
37. Satti N. K., Suri O. P., Dhar K. L., Atal C. K., Kawasaki T., Miyahara K., Kawano S. 1986. High resolution NMR and X-RAY crystallography data of caudicifolin from *Euphorbia acaulis*. — *Phytochemistry*. 25(6): 1411—1413.
38. Haba H., Lavaud C., Marcourt L., Long C., Harkat H., Benkhaled M. 2009. *Ent*-abietane diterpenoids from *Euphorbia guyoniana* Boiss. et Reut. — *Biochem. Syst. Ecol.* 37(4): 504—508. doi: 10.1016/j.bse.2009.04.003
39. Lu Z.-Q., Guan S.-H., Li X.-N., Chen G.-T., Zhang J.-Q., Huang H.-L., Liu X., Guo D.-A. 2008. Cytotoxic diterpenoids from *Euphorbia helioscopia*. — *J. Nat. Prod.* 71(5): 873—876. doi: 10.1021/np0706163
40. Valente C., Pedro M., Duarte A., Nascimento M. S. J., Abreu M., Ferreira M.-J. U. 2004. Bioactive diterpenoids, a new jatrophone and two *ent*-abietanes, and other constituents from *Euphorbia pubescens*. — *J. Nat. Prod.* 67(5): 902—904.
41. Yu C.-C., Hsieh C.-R., Hsiao G., Chen P.-Y., Chang M.-L., Yin H.-W., Lee T.-H., Lee C.-K. 2012. Regulated expressions of MMP-2, -9 by diterpenoids from *Euphorbia formosana* Hayata. — *Molecules*. 17(2): 2082—2090. doi:10.3390/molecules17022082
42. Liu C., Liao Z., Liu S., Qu Y., Wang H. 2014. Two new diterpene derivatives from *Euphorbia lunulata* Bge and their anti-proliferative activities. — *Fitoterapia*. 96: 33—38. doi: 10.1016/j.fitote.2014.03.016
43. Xu W., Zhu C., Cheng W., Fan X., Chen X., Yang S., Guo Y., Ye F., Shi J. 2009. Chemical constituents of the roots of *Euphorbia micractina*. — *J. Nat. Prod.* 72(9): 1620—1626. doi: 10.1021/np900305j

44. Liu J. H., Latif A., Ali M., Zhang G. P., Xiang W. J., Ma L., Arfan M., Hu L. H. 2012. Diterpenoids from *Euphorbia neriifolia*. — *Phytochemistry*. 75: 153—158. doi: 10.1016/j.phytochem.2011.11.016
45. Madureira A. M., Molnár A., Abreu M., Molnár J., Ferreira M.-J. U. 2004. A new sesquiterpene-coumarin ether and a new abietane diterpene and their effects as inhibitors of P-glycoprotein. — *Planta Med.* 70(9): 828—833.
46. Sutthivaiyakit S., Thapsut M., Prachayasittikul V. 2000. Constituents and bioactivity of the tubers of *Euphorbia sessiliflora*. — *Phytochemistry*. 53(8): 947—950.
47. Tavčar E., Barbič M., Heilmann J., Kreft S. 2012. High levels of cycloartenol derivatives from *Euphorbia acanthothamnos*. — *Biochem. Syst. Ecol.* 44: 83—85. doi: 10.1016/j.bse.2012.04.021
48. Min Z., Mizuo M., Toshiyuki T., Muneakazu I., Xu G.-Y., Huang Q. 1989. A diterpene from *Euphorbia antiquorum*. — *Phytochemistry*. 28(2): 553—555.
49. Min Z.-D., Wu B., Zheng Q.-T., Mizuo M., Muneakazu L., Toshiyuki T. 1990. Revised structure of a diterpene from *Euphorbia antiquorum*. — *Phytochemistry*. 29(12): 3952—3953.
50. Wang M., Wang Q., Wei Q., Li J., Guo C., Yang B., Kuang H. 2016. Two new *ent*-atisanes from the root of *Euphorbia fischeriana* Steud. — *Nat. Prod. Res.* 30(2): 144—149. doi: 10.1080/14786419.2015.1045904
51. Lal A. R., Cambie R. C., Rutledge P. S., Woodgate P. D., Rickard C. E. F., Clark G. R. 1989. New oxidised *ent*-atisene diterpenes from *Euphorbia fidjiana*. — *Tetrahedron Lett.* 30(24): 3205—3208. doi: 10.1016/S0040-4039(00)99202-5
52. Lal A. R., Cambie R. C., Rutledge P. S., Woodgate P. D. 1990. *Ent*-atisane diterpenes from *Euphorbia fidjiana*. — *Phytochemistry*. 29(6): 1925—1935.
53. Sang Y., Shi H., Jia Z., Liu X., Zuo Z. 2005. Chemical constituents of *Euphorbia antiquorum*. — *Chin. J. Nat. Med.* 1: 31—33.
54. Li E.-T., Liu K.-H., Zang M.-H., Zhang X.-L., Jiang H.-Q., Zhou H.-L., Wang D.-Y., Liu J.-G., Hu Y.-L., Wu Y. 2015. Chemical constituents from *Euphorbia hirta*. — *Biochem. Syst. Ecol.* 62: 204—207. doi: 10.1016/j.bse.2015.09.007
55. Jakupovic J., Jeske F., Morgenstern T., Tschritzis F., Marco J. A., Berendsohn W. 1998. Diterpenes from *Euphorbia segetalis*. — *Phytochemistry*. 47(8): 1583—1600.
56. Liu Z., Li Z., Li D., Li N., Bai J., Zhao F., Meng D.-L., Hua H. 2016. *ent*-Abietane-type diterpenoids from the roots of *Euphorbia ebracteolata* with their inhibitory activities on LPS-induced NO production in RAW 264.7 macrophages. — *Bioorg. Medic. Chem. Lett.* 26(1): 1—5. doi: 10.1016/j.bmcl.2015.11.080
57. Hou P., Zeng Y., Ma B., Bi K., Chen X. 2013. A new cytotoxic cembrane diterpene from the roots of *Euphorbia pekinensis* Rupr. — *Fitoterapia*. 90: 10—13. doi: 10.1016/j.fitote.2013.07.004
58. Xu Z. H., Sun J., Xu R. S., Qin G.-W. 1998. Casbane diterpenoids from *Euphorbia ebracteolata*. — *Phytochemistry*. 49(1): 149—151.
59. Tao W. W., Duan J. A., Tang Y. P., Yang N. Y., Li J. P., Qian Y. F. 2013. Casbane diterpenoids from the roots of *Euphorbia pekinensis*. — *Phytochemistry*. 94: 249—253.

60. Shao F.-G., Bu R., Zhang C., Chen C.-J., Huang J., Wang J.-H. 2011. Two new casbane diterpenoids from the roots of *Euphorbia pekinensis*. — J. Asian Nat. Prod. Res. 13(9): 805—810. doi: 10.1080/10286020.2011.596828
61. Marco J. A., Sanz-Cervera J. F., Ropero F. J., Checa J., Fraga B. M. 1998. Ingenane and lathyrane diterpenes from the latex of *Euphorbia acruensis*. — Phytochemistry. 49(4): 1095—1099. doi: 10.1016/S0031-9422(97)01065-0
62. Gwall M. B., Hattori M., Tezuka Y., Kikuch T., Namba T. 1989. Four ingol type diterpenes from *Euphorbia antiquorum* L. — Chem. Pharm. Bull. 37(6): 1547—1549.
63. Qi W.-Y., Zhang W.-Y., Shen Y., Leng Y., Gao K., Yue J.-M. 2014. Ingol-type diterpenes from *Euphorbia antiquorum* with mouse 11 $\beta$ -hydroxysteroid dehydrogenase type 1 inhibition activity. — J. Nat. Prod. 77(6): 1452—1458. doi: 10.1021/np5002237
64. Shokoohinia Y., Chianese G., Zolfaghari B., Sajjadi S. E., Appendino G., Taglialatela-Scafati O. 2011. Macrocyclic diterpenoids from the Iranian plant *Euphorbia bungei* Boiss. — Fitoterapia. 82(3): 317—322. doi: 10.1016/j.fitote.2010.10.015
65. Seip E. H., Hecker E. 1983. Lathyrane type diterpenoid esters from *Euphorbia characias*. — Phytochemistry. 22(8): 1791—1795.
66. Lu J., Li G., Huang J., Zhang C., Zhang L., Zhang K., Li P., Lin R., Wang J. 2014. Lathyrane-type diterpenoids from the seeds of *Euphorbia lathyris*. — Phytochemistry. 104: 79—88. doi: 10.1016/j.phytochem.2014.04.020
67. Jiao W., Dong W., Li Z., Deng M., Lu R. 2009. Lathyrane diterpenes from *Euphorbia lathyris* as modulators of multidrug resistance and their crystal structures. — Bioorg. Med. Chem. 17(13): 4786—4792.
68. Yamamura S., Shizuri Y., Kosemura S., Ohtsuka J., Tayama T., Ohba S., Ito M., Saito Y., Terada Y. 1989. Diterpenes from *Euphorbia helioscopia*. — Phytochemistry. 28(12): 3421—3436.
69. Feng W. S., Gao L., Zheng X. K., Wang Y. Z., Chen H. 2010. A new lathyrane diterpene glycoside from *Euphorbia helioscopia* L. — Chin. Chem. Lett. 21(2): 191—193.
70. Ferreira A. M. V. D., Carvalho L. H. M., Carvalho M. J. M., Sequeira M. M., Silva A. M. S. 2002. Jatrophone and lathyrane diterpenoids from *Euphorbia hyberna* L. — Phytochemistry. 61(4): 373—377. doi: 10.1016/S0031-9422(02)00182-6
71. Opferkuch H. J., Hecker E. 1973. Ingol — a new macrocyclic diterpene alcohol from *Euphorbia ingens*. — Tetrahedron Lett. 14(37): 3611—3614.
72. Uemura D., Nobuhara K., Nakayama Y., Shizuri Y., Hirata Y. 1976. The structure of new lathyrane diterpenes, jolkinols a, b, c, and d, from *Euphorbia jolkinii* Boiss. — Tetrahedron Lett. 17(50): 4593—4596.
73. Wang H., Zhang X., Zhou Y., Peng S., Zhou D., Ding L. 2008. Two new diterpenes from *Euphorbia kansuensis*. — Fitoterapia. 79(4): 262—266. doi: 10.1016/j.fitote.2008.01.008
74. Ayatollahi A. M., Ghanadian M., Mesaik M. A., Mohamed Abdella O., Afsharypuor S., Kobarfard F., Mirza-taheri M. 2010. New myrsinane-type diterpenoids from *Euphorbia aellenii* Rech. f. with their immunomodulatory activity. — J. Asian Nat. Prod. Res. 12(12): 1020—1025. doi: 10.1080/10286020.2010.529611

75. Duarte N., Varga A., Cherepnev G., Radics R., Molnár J., Ferreira M.-J. U. 2007. Apoptosis induction and modulation of P-glycoprotein mediated multidrug resistance by new macrocyclic lathyrane-type diterpenoids. — *Bioorg. Med. Chem.* 15(1): 546—554.
76. Avila L., Perez M., Sanchez-Duffhues G., Hernández-Galán R., Muñoz E., Cabezas F., Quiñones W., Torres F., Echeverri F. 2010. Effects of diterpenes from latex of *Euphorbia lactea* and *Euphorbia laurifolia* on human immunodeficiency virus type 1 reactivation. — *Phytochemistry*. 71(2—3): 243—248. doi: 10.1016/j.phytochem.2009.10.005
77. Rondón M., Morales A., Amaro-Luis J. M., Bahsas A., Rojas J., Buitrago D. 2005. Latazienone, a new lathyrane-type diterpenoid from *Euphorbia latazi* Kunth. — *Nat. Prod. Res.* 19(6): 597—602. doi: 10.1080/14786410412331280096
78. Tian Y., Xu W., Zhu C., Lin S., Li Y., Xiong L., Wang S., Wang L., Yang Y., Guo Y., Sun H., Wang X., Shi J. 2011. Lathyrane diterpenoids from the roots of *Euphorbia micractina* and their biological activities. — *J. Nat. Prod.* 74(5): 1221—1229. doi: 10.1021/np2001489
79. Toume K., Nakazawa T., Hoque T., Ohtsuki T., Arai M. A., Koyano T., Kowithayakorn T., Ishibashi M. 2012. Cycloartane triterpenes and ingol diterpenes isolated from *Euphorbia neriifolia* in a screening program for death-receptor expression-enhancing activity. — *Planta Med.* 78(12): 1370—1377. doi: 10.1055/s-0032-1314975
80. Ravikanth V., Niranjana Reddy V., Prabhakar Rao T., Diwan P., Ramakrishna S., Venkateswarlu Y. 2002. Macrocyclic diterpenes from *Euphorbia nivulia*. — *Phytochemistry*. 59(3): 331—335. doi: 10.1016/S0031-9422(01)00461-7
81. Xu J., Jin D., Song H., Guo Y., He Y. 2012. Lathyrane diterpenes from *Euphorbia prolifera* and their inhibitory activities on LPS-induced NO production. — *Fitoterapia*. 83(7): 1205—1209. doi: 10.1016/j.fitote.2012.06.014
82. Li X.-L., Li Y., Wang S.-F., Zhao Y.-L., Liu K.-C., Wang X.-M., Yang Y.-P. 2009. Ingol and ingenol diterpenes from the aerial parts of *Euphorbia royleana* and their antiangiogenic activities. — *J. Nat. Prod.* 72(6): 1001—1005. doi: 10.1021/np800816n
83. Yazdiniapour Z., Ghanadian M., Zolfaghari B., Lanzotti V. 2016. 6(17)-Epoxy-lathyrane diterpenes from *Euphorbia sogdiana* Popov with cytotoxic activity. — *Fitoterapia*. 108: 87—92. doi: 10.1016/j.fitote.2015.11.008
84. Corea G., Fattorusso C., Fattorusso E., Lanzotti V. 2005. Amygdaloidins A-L, twelve new 13  $\alpha$ -OH jatrophone diterpenes from *Euphorbia amygdaloides* L. — *Tetrahedron*. 61(18): 4485—4494.
85. Corea G., Di Pietro A., Dumontet C., Fattorusso E., Lanzotti V. 2009. Jatrophone diterpenes from *Euphorbia* spp. as modulators of multidrug resistance in cancer therapy. — *Phytochem. Rev.* 8(2): 431—447. doi: 10.1007/s11101-009-9126-8
86. Shadi S., Saeidi H., Ghanadian M., Rahimnejad M. R., Aghaei M., Ay Choudhary M. I. 2014. New macrocyclic diterpenes from *Euphorbia connata* Boiss. with cytotoxic activities on human breast cancer cell lines. — *Nat. Prod. Res.* 29(7): 607—614.

87. Aljančić I. S., Pešić M., Milosavljević S. M., Todorović N. M., Jadranin M., Milosavljević G., Povrenović D., Banković J., Tanić N., Marković I., Ruždijić S., Vajs V. E., Tešević V. V. 2011. Isolation and biological evaluation of jatrophone diterpenoids from *Euphorbia dendroides*. — J. Nat. Prod. 74(7): 1613—1620. doi: 10.1021/np200241c
88. Jadranin M., Pešić M., Aljančić I. S., Milosavljević S. M., Todorović N. M., Podolski-Renić A., Banković J., Tanić N., Marković I., Vajs V. E., Tešević V. V. 2013. Jatrophone diterpenoids from the latex of *Euphorbia dendroides* and their anti-P-glycoprotein activity in human multi-drug resistant cancer cell lines. — Phytochemistry. 86: 208—217. doi: 10.1016/j.phytochem.2012.09.003
89. Vasas A., Sulyok E., Rédei D., Forgo P., Szabó P., Zupkó I., Berényi Á., Molnár J., Hohmann J. 2011. Jatrophone diterpenes from *Euphorbia esula* as antiproliferative agents and potent chemosensitizers to overcome multidrug resistance. — J. Nat. Prod. 74(6): 1453—1461. doi: 10.1021/np200202h
90. Hegazy M.-E. F., Mohamed A. E.-H. H., Aoki N., Ikeuchi T., Ohta E., Ohta S. 2010. Bioactive jatrophone diterpenes from *Euphorbia guyoniana*. — Phytochemistry. 71(2—3): 249—253.
91. Geng D., Shi Y., Min Z.-D., Liang J. Y. 2010. A new diterpenoid from *Euphorbia helioscopia*. — Chin. Chem. Lett. 21(1): 73—75. doi: 10.1016/j.ccllet.2009.09.013
92. Valente C., Ferreira M.-J. U., Abreu M., Pedro M., Cerqueira F., Nascimento M. S. J. 2003. Three new jatrophone-type diterpenes from *Euphorbia pubescens*. — Planta Med. 69(4): 361—366. doi: 10.1055/s-2003-38875
93. Valente C., Ferreira M.-J. U., Abreu M., Gyemant N., Ugocsai K., Hohmann J., Molnár J. 2004. Pubescenes, jatrophone diterpenes, from *Euphorbia pubescens*, with multidrug resistance reversing activity on mouse lymphoma cells. — Planta Med. 70(1): 81—84.
94. Wang L.-Y., Wang N.-L., Yao X.-S., Miyata S., Kitanaka S. 2002. Diterpenes from the roots of *Euphorbia kansui* and their *in vitro* effects on the cell division of xenopus. — J. Nat. Prod. 65(9): 1246—1251.
95. Guo J., Fang X., Di Y. T., Hua H. M., Hao X. J. 2010. Kansuine J, a new macrocyclic diterpenoid from the roots of *Euphorbia kansui*. — Chin. Chem. Lett. 21(8): 943—946. doi:10.1016/j.ccllet.2010.04.024
96. Marco J. A., Sanz-Cervera J. F., Checa J., Palomares E., Fraga B. M. 1999. Jatrophone and tigliane diterpenes from the latex of *Euphorbia obtusifolia*. — Phytochemistry. 52(3): 479—485.
97. Hohmann J., Rédei D., Forgo P., Molnár J., Dombi G., Zorig T. 2003. Jatrophone diterpenoids from *Euphorbia mongolica* as modulators of the multidrug resistance of L5128 mouse lymphoma cells. — J. Nat. Prod. 66(7): 976—979.
98. Jakupovic J., Morgenstern T., Marco J. A., Berendsohn W. 1998. Diterpenes from *Euphorbia paralias*. — Phytochemistry. 47(8): 1611—1619. doi: 10.1016/S0031-9422(97)00832-7
99. Jakupovic J., Morgenstern T., Bittner M., Silva M. 1998. Diterpenes from *Euphorbia peplus*. — Phytochemistry. 47(8): 1601—1609.

100. Hohmann J., Vasas A., Günther G., Dombi G., Blazsó G., Falkay G., Máthé J., Jerkovich G. 1999. Jatrophone diterpenoids from *Euphorbia peplus*. — *Phytochemistry*. 51(5): 673—677. doi: 10.1016/S0031-9422(99)00088-6
101. Hohmann J., Evanics F., Berta L., Bartók T. 2000. Diterpenoids from *Euphorbia peplus*. — *Planta Med.* 66(3): 291—294.
102. Huang Y., Aisa H. A. 2010. Jatrophone diterpenoids from fructus *Euphorbia sororia*. — *Phytochem. Lett.* 3(4): 176—180.
103. Huang Y., Aisa H. A. 2010. Three new diterpenoids from *Euphorbia sororia* L. — *Helv. Chim. Acta.* 93(6): 1156—1161.
104. Rawal M. K., Shokoohinia Y., Chianese G., Zolfaghari B., Appendino G., Tagliatalata-Scafati O., Prasad R., Di Pietro A. 2014. Jatrophanes from *Euphorbia squamosa* as potent inhibitors of *Candida albicans* multidrug transporters. — *J. Nat. Prod.* 77(12): 2700—2706. doi: 10.1021/np500756z
105. Marco A. J., Sanz-Cervera J. F., Yuste A., Jakupovic J., Jeske F. 1998. Jatrophone derivatives and a rearranged jatrophone from *Euphorbia terracina*. — *Phytochemistry*. 47(8): 1621—1630. doi: 10.1016/S0031-9422(97)00833-9
106. Duarte N., Lage H., Ferreira M.-J. U. 2008. Three new jatrophone polyesters and antiproliferative constituents from *Euphorbia tuckeyana*. — *Planta Med.* 74(1): 61—68. doi: 10.1055/s-2007-993765
107. Duarte N., Járđánházy A., Molnár J., Hilgeroth A., Ferreira M.-J. U. 2008. Synergistic interaction between p-glycoprotein modulators and epirubicin on resistant cancer cells. — *Bioorg. Med. Chem.* 16(20): 9323—9330. doi: 10.1016/j.bmc.2008.08.071
108. Tian Y., Xu W., Zhu C., Lin S., Guo Y., Shi J. 2013. Diterpenoids with diverse skeletons from the roots of *Euphorbia micractina*. — *J. Nat. Prod.* 76(6): 1039—1046. doi: 10.1021/np400029d
109. Shi J.-G., Jia Z.-J. 1995. Diterpenoids from *Euphorbia micractina*. — *Phytochemistry*. 38(6): 1445—1447.
110. Marco J. A., Sanz-Cervera J. F., Yuste A., Jakupovic J. 1997. Terracinolides from *Euphorbia terracina*. — *Phytochemistry*. 45(1): 137—140.
111. Gotta H., Adolf W., Opferkuch H. J., Hecker E. 1984. On the active principles of the Euphorbiaceae, IX ingenane type diterpene esters from five *Euphorbia* species. — *Z. Naturforsch., B.* 39(5): 683—694.
112. Baloch I. B., Baloch M. K. 2010. Irritant and co-carcinogenic diterpene esters from the latex of *Euphorbia cauducifolia* L. — *J. Asian Nat. Prod. Res.* 12(7): 600—613. doi: 10.1080/10286020.2010.489039
113. Marco J. A., Sanz-Cervera J. F., Yuste A. 1997. Ingenane and lathyrane diterpenes from the latex of *Euphorbia canariensis*. — *Phytochemistry*. 45(3): 563—570.
114. Ayatollahi S. A., Ahmed Z., Malik A., Afza N., Badar Y. 1992. Cycloclarkeanol, a new triterpene from *Euphorbia clarkeana*. — *Lloydia*. 55: 959—962.
115. Baloch I. B., Baloch M. K., Baloch A. K. 2009. Bio-active compounds from *Euphorbia cornigera* Boiss. — *Europ. J. Med. Chem.* 2009. 44(8): 3188—3194. doi: 10.1016/j.ejmech.2009.03.019



116. Baloch I. B., Baloch M. K. 2010. Isolation and characterization of cytotoxic compounds from *Euphorbia cornigera* Boiss. — J. Asian Nat. Prod. Res. 12(11): 985—991. doi: 10.1080/10286020.2010.512007
117. Ott H. H., Hecker E. 1981. Highly irritant ingenane type diterpene esters from *Euphorbia cyparissias* L. — Experientia. 37(1): 88—91.
118. Deng B., Mu S.-Z., Hao X.-J. 2010. Chemical constituents from *Euphorbia ebracteolata*. — Chinese J. Nat. Med. 3: 183—185. doi: 10.3724/SP.J.1009.2010.00183
119. Deng B., Mu S.-Z., Zhang J.-X., Hao X.-J. 2010. New diterpenoids from the roots of *Euphorbia ebracteolata* Hayata. — Nat. Prod. Res. 24(16): 1503—1509. doi: 10.1080/14786410903388017
120. Hecker E. 1977. New toxic, irritant and cocarcinogenic diterpene esters from Euphorbiaceae and from Thymelaeaceae. — Pure Appl. Chem. 49(9): 1423—1431.
121. Zarei S. M., Ayatollahi S. A., Ghanadian M., Kobarfard F., Aghaei M., Choudhary M. I., Fallahian F. 2013. Unusual ingenoids from *Euphorbia erythradenia* Boiss. with pro-apoptotic effects. — Fitoterapia. 91: 87—94. doi: 10.1016/j.fitote.2013.08.016
122. Seip E., Hecker E. 1982. Skin irritant ingenol esters from *Euphorbia esula*. — Planta Med. 46(12): 215—218.
123. Lu Z.-Q., Yang M., Zhang J.-Q., Chen G.-T., Huang H.-L., Guan S.-H., Ma C., Liu X., Guo D.-A. 2008. Ingenane diterpenoids from *Euphorbia esula*. — Phytochemistry. 69(3): 812—819. doi: 10.1016/j.phytochem.2007.09.013
124. Upadhyay R., Bakhtavar F., Mohseni H., Sater A., Saleh N., Tafazuli A., Dizaji F. N., Mohaddes G. 1980. Screening of *Euphorbia* from Azarbaijan for skin irritant activity and for diterpenes. — Planta Med. 38(2): 151—154. doi: 10.1055/s-2008-1074852
125. Abo K. A., Evans F. J. 1982. Ingenol esters from the pro-inflammatory fraction of *Euphorbia kamerunica*. — Phytochemistry. 21(3): 725—726.
126. Uemura D., Ohwaki H., Hirata Y. 1974. Isolation and structures of 20-deoxyingenol new diterpene, derivatives and ingenol derivative obtained from «kansui». — Tetrahedron Lett. 15(29): 2527—2528.
127. Itokawa H., Ichihara Y., Watanabe K., Takeya K. 1989. An antitumor principle from *Euphorbia lathyris*. — Planta Med. 55(3): 271—272. doi: 10.1055/s-2006-962001
128. Zani C. L., Marston A., Hamburger M., Hostettmann K. 1993. Molluscicidal milliamines from *Euphorbia milii* var. *hislopii*. — Phytochemistry. 34(1): 89—95.
129. Marston A., Hecker E. 1983. On the active principles of the Euphorbiaceae. VI: Isolation and biological activities of seven milliamines from *Euphorbia milii*. — Planta Med. 47(3): 141—147. doi: 10.1055/s-2007-969973
130. Rentzea M., Hecker E., Lotter H. 1982. Neue Tetrazyklische, polyfunktionelle diterpenoide aus *Euphorbia myrsinites* L. Röntgenstrukturanalyse und Stereochemie des 14-Desoxo-14 $\beta$ -hydroxymyrsinols. — Tetrahedron Lett. 23(17): 1781—1784. [http://dx.doi.org/10.1016/S0040-4039\(00\)86740-4](http://dx.doi.org/10.1016/S0040-4039(00)86740-4)

131. Urones J. G., Barcala B., Cuadrado J. S., Marcos I. S. 1988. Diterpenes from the latex of *Euphorbia broteri*. — *Phytochemistry*. 27(1): 207—212.
132. Sayed M. D., Risz A., Hammouda F. M., El-Missiry M. M., Williamson E. M., Evans F. J. 1980. Constituents of Egyptian Euphorbiaceae. IX. Irritant and cytotoxic ingenane esters from *Euphorbia paralias* L. — *Experientia*. 36(10): 1206—1207.
133. Rizk A. M., Hammouda F. M., El-Missiry M. M., Radwan H. M., Evans F. J. 1985. Biologically active diterpene esters from *Euphorbia peplus*. — *Phytochemistry*. 24(7): 1605—1606.
134. Hergenbahn M., Adolf W., Hecker E. 1975. Resiniferatoxin and other esters of novel polyfunctional diterpenes from *Euphorbia resinifera* and *E. unispina*. — *Tetrahedron Lett.* 16(19–20): 1595—1598. [http://dx.doi.org/10.1016/S0040-4039\(00\)72207-6](http://dx.doi.org/10.1016/S0040-4039(00)72207-6)
135. Evans F. J., Kinghorn A. D. 1974. A new ingenol type diterpene from the irritant fractions of *Euphorbia myrsinites* and *Euphorbia biglandulosa*. — *Phytochemistry*. 13(10): 2324—2325.
136. Upadhyay R., Zarintan M., Ansarin M. 1976. Isolation of ingenol from the irritant and cocarcinogenic latex of *Euphorbia seguieriana*. — *Planta Med.* 30(5): 32—34. doi: 10.1055/s-0028-1097689
137. Evans F. J., Kinghorn A. D. 1977. A comparative phytochemical study of the diterpenes of some species of the genera *Euphorbia* and *Elaeophorbia* (Euphorbiaceae). — *Bot. J. Linn. Soc.* 74(1): 23—25.
138. Abdelgaleil S. A., Kassem S. M., Doe M., Baba M., Nakatani M. 2001. Diterpenoids from *Euphorbia paralias*. — *Phytochemistry*. 58(7): 1135—1139.
139. Madureira A. M., Gyémánt N., Ascenso J. R., Abreu M., Molnár J., Ferreira M.-J. U. 2006. Euphoportlandols A and B, tetracyclic diterpene polyesters from *Euphorbia portlandica* and their anti-MDR effects in cancer cells. — *J. Nat. Prod.* 69(6): 950—953. doi: 10.1021/np060046r
140. Hohmann J., Günther G., Vasas A., Kálmán A., Argay G. 1999. Isolation and structure revision of pepluane diterpenoids from *Euphorbia peplus*. — *J. Nat. Prod.* 62(1): 107—109. doi: 10.1021/np980319I
141. Wan L.-S., Chu R., Peng X.-R., Zhu G.-L., Yu M.-Y., Li L., Zhou L., Lu S.-Y., Dong J.-R., Zhang Z.-R., Li Y., Qiu M.-H. 2016. Pepluane and paraliane diterpenoids from *Euphorbia peplus* with potential anti-inflammatory activity. — *J. Nat. Prod.* 79(6): 1628—1634. doi: 10.1021/acs.jnatprod.6b00206
142. Baloch I. B., Baloch M. K., Saqib Q. N. 2008. Anti-tumor 12-deoxyphorbol esters from *Euphorbia cornigera*. — *Europ. J. Med. Chem.* 43(2): 274—281. doi: 10.1016/j.ejmech.2007.03.016
143. Wang H.-B., Chu W.-J., Wang Y., Ji P., Wang Y.-B., Yu Q., Qin G.-W. 2010. Diterpenoids from the roots of *Euphorbia fischeriana*. — *J. Asian Nat. Prod. Res.* 12(12): 1038—1043. doi: 10.1080/10286020.2010.532490
144. Harborne J. B., Baxter H., Moss G. R. 1999. *Phytochemical dictionary: a handbook of bioactive compounds from plants*. London; Philadelphia. 976 p.
145. Forgo P., Rédei D., Hajdu Z., Szabó P., Szabó L., Hohmann J. 2011. Unusual tiglliane diterpenes from *Euphorbia grandicornis*. — *J. Nat. Prod.* 74(4): 639—643. doi: 10.1021/np100673s
146. Schmidt R. J., Evans F. J. 1980. Skin irritant of the sun spurge (*Euphorbia helioscopia*). — *Contact Dermat.* 6(3): 204—210.

147. Ghanadian M., Ayatollahi S. A., Mesaik M. A., Afsharypuor S., Abdalla O. M., Kobarfard F. 2011. New tiglane-type diterpenoids from *Euphorbia aellenii* Rech. f. with immunomodulatory activity. — Res. Pharm. Sci. 6(1): 35—41.
148. Shokoohinia Y., Sajjadi S. E., Zolfaghari B., Chianese G., Appendino G., Tagliatalata-Scafati O. 2010. Diterpenoid (poly)esters and a ring A-seco-phorboid from the aerial parts of *Euphorbia macroclada* Boiss. — Fitoterapia. 81(7): 884—890. doi: 10.1016/j.fitote.2010.05.015
149. Marston A., Hecker E. 1984. Active principles of the Euphorbiaceae. VII. Milliamines H and I, Peptide Esters of 20-Deoxy-5 $\zeta$ -Hydroxyphorbol from *Euphorbia milii*. — Planta Med. 50(4): 319—322. doi: 10.1055/s-2007-969720
150. Appendino G., Belloro E., Tron G. C., Jakupovic J., Ballero M. 1999. Diterpenoids from *Euphorbia pithyusa* subsp. *cupanii*. — J. Nat. Prod. 62(10): 1399—1404.
151. Evans F. J., Schmidt R. J. 1976. Two new toxins from the latex of *Euphorbia poisonii*. — Phytochemistry. 15(2): 333—335.
152. Falsone G., Crea A. E. G. 1979. Über Inhaltsstoffe von Euphorbiaceae. VI. Drei neue 4-Desoxyphorboltriestere aus *Euphorbia biglandulosa* Desf. [Constituents of Euphorbiaceae. VI. Three new 4-deoxyphorbol triesters from *Euphorbia biglandulosa* Desf.]. — Justus Liebigs Annal. Chem. 1979(8): 1116—1121.
153. Ferreira M.-J. U., Ascenso J. R. 1999. Steroids and a tetracyclic diterpene from *Euphorbia boetica*. — Phytochemistry. 51(3): 439—444. [http://dx.doi.org/10.1016/S0031-9422\(98\)00739-0](http://dx.doi.org/10.1016/S0031-9422(98)00739-0)
154. Öksüz S., Gürek F., Lin L., Gil R. R., Pezzuto J. M., Cordell G. A. 1996. Aleppicatines A and B from *Euphorbia aleppica*. — Phytochemistry. 42(2): 473—478.
155. Shi Y.-P., Jia Z.-J., Jamil L., Sadiq S. 1995. Pentacyclic diterpene esters from *Euphorbia aleppica*. — Phytochemistry. 40(4): 1219—1221. [http://dx.doi.org/10.1016/0031-9422\(95\)00361-A](http://dx.doi.org/10.1016/0031-9422(95)00361-A)
156. Sulyok E., Vasas A., Rédei D., Forgo P., Kele Z., Pinke G., Hohmann J. 2011. New premyrsinane-type diterpene polyesters from *Euphorbia falcata*. — Tetrahedron. 67(38): 7289—7293. 10.1016/j.tet.2011.07.051
157. Ahmad V. U., Jassbi A. R. 1998. Two pentacyclic diterpene esters from *Euphorbia decipiens*. — Phytochemistry. 48(7): 1217—1220.
158. Zahid M., Husani S. R., Abbas M., Pan Y., Jassbi A. R., Asim M., Pervez M., Voelte W., Ahmad V. U. 2001. Eight new diterpenoids from *Euphorbia decipiens*. — Helv. Chim. Acta. 84(7): 1980—1988.
159. Xu J., Jin D., Guo Y., Xie C., Ma Y., Yamakuni T., Ohizumi Y. 2012. New myrsinol diterpenes from *Euphorbia prolifera* and their inhibitory activities on LPS-induced NO production. — Bioorg. Med. Chem. Lett. 22(11): 3612—3618.
160. Xu J., Yang B., Fang L., Wang S., Guo Y., Yamakuni T., Ohizumi Y. 2013. Four new myrsinol diterpenes from *Euphorbia prolifera*. — J. Nat. Med. 67(2): 333—338. doi: 10.1007/s11418-012-0688-1
161. Öksüz S., Gürek F., Qiu S.-X., Cordell G. A. 1998. Diterpene polyesters from *Euphorbia seguieriana*. — J. Nat. Prod. 61(10): 1198—1201. doi: 10.1021/np970559l

162. Abbas M., Jassbi A. R., Zahid M., Ali Z., Alam N., Akhtar F., Choudhary M. I., Ahmad V. U. 2000. Three new diterpenoids from *Euphorbia cheiradenia*. — *Helv. Chim. Acta.* 83(10): 2751–2755.
163. Wang L., Zang Z., Wang Y.-F., Huang S.-X., Cao P., Zhao Y. 2015. Two new myrsinol diterpenoids from *Euphorbia dracunculoides* Lam. — *Chin. Chem. Lett.* 26(1): 121–123.
164. Jassbi A. R., Zamanizadehnajari S., Tahara S. 2004. Chemical constituents of *Euphorbia marschalliana* Boiss. — *Z. Naturforsch., C.* 59: 15–18.
165. Öksüz S., Gürek F., Gil R. R., Pengsuparp T., Pezzuto J. M., Cordell G. A. 1995. Four diterpene esters from *Euphorbia myrsinites*. — *Phytochemistry.* 38(6): 1457–1462.
166. Ayatollahi S. A., Shojaii A., Kobarfard F., Nori M., Fathi M., Choudhary M. I. 2009. Terpens from aerial parts of *Euphorbia splendida*. — *J. Med. Plants Res.* 3(9): 660–665.
167. Ahmad V. U., Jassbi A. R., Parvez M. 1998. Three new diterpene esters from *Euphorbia decipiens*. — *Tetrahedron.* 54(8): 1573–1584.
168. Ahmad V. U., Hussain J., Hussain H., Jassbi A. R., Ullah F., Lodhi M. A., Yasin A., Choudhary M. I. 2003. First natural urease inhibitor from *Euphorbia decipiens*. — *Chem. Pharm. Bull.* 51(6): 719–723.
169. Li J., Xu L., Wang F.-P. 2010. New cytotoxic myrsinane-type diterpenes from *Euphorbia prolifera*. — *Helv. Chim. Acta.* 93(4): 746–752.
170. Xu J., Jin D., Guo P., Xie C., Fang L., Guo Y. 2012. Three new myrsinol diterpenes from *Euphorbia prolifera* and their neuroprotective activities. — *Molecules.* 17(12): 9520–9528. doi: 10.3390/molecules17089520
171. Jeske F. 1995. Diterpenes from *Euphorbia seguieriana*. — *Phytochemistry.* 40 (6): 1743–1750.
172. Ahmad V. U., Jassbi A. R. 1999. New diterpenoids from *Euphorbia teheranica*. — *J. Nat. Prod.* 62(7): 1016–1018. doi: 10.1021/np980368y
173. Vasas A., Sulyok E., Martins A., Rédei D., Forgo P., Kele Z., Zupkó I., Molnár J., Pinke G., Hohmann J. 2012. Cyclomyrsinane and premyrsinane diterpenes from *Euphorbia falcata* modulate resistance of cancer cells to doxorubicin. — *Tetrahedron.* 68(4): 1280–1285. doi: 10.1016/j.tet.2011.11.039
174. Xu J., Guo Y., Xie C., Li Y., Gao J., Zhang T., Hou W., Fang L., Gui L. 2011. Bioactive myrsinol diterpenoids from the roots of *Euphorbia prolifera*. — *J. Nat. Prod.* 74(10): 2224–2230. doi: 10.1021/np200591h
175. Pan L.-L., Fang P.-L., Zhang X.-J., Ni W., Li L., Yang L.-M., Chen C.-X., Zheng Y.-T., Li C.-T., Hao X.-J., Liu H.-Y. 2011. Tiglane-type diterpenoid glycosides from *Euphorbia fischeriana*. — *J. Nat. Prod.* 74(6): 1508–1512. doi: 10.1021/np200058c
176. Adolf W., Sorg B., Hergenbahn M., Hecker E. 1982. Structure-activity relations of polyfunctional diterpenes of the Daphnane type. I. Revised structure for resiniferatoxin and structure-activity relations of resini-feronol and some of its esters. — *J. Nat. Prod.* 45(3): 347–354.