

TRITERPENOIDS OF *PRUNELLA VULGARIS* (LAMIACEAE) AND THEIR BIOLOGICAL ACTIVITY

© N. V. Petrova*

Komarov Botanical Institute of the Russian Academy of Sciences, St. Petersburg, Russia

*E-mail: NPetrova@binran.ru

REFERENCES

1. Flora evropeiskoy chasti SSSR. 1978. T. 3. [Flora of the European part of the USSR. Vol. 3]. Leningrad. 259 p. (In Russian)
2. Sosudistye rastenia sovetskogo Dalnego Vostoka. 1995. T. 7. [Vascular Plants of the Soviet Far East. Vol. 7]. St. Petersburg. 395 p. (In Russian)
3. Flora Sibiri. 1997. T. 11: Pyrolaceae—Lamiaceae (Labiatae) [Flora of Siberia. Vol. 11: Pyrolaceae—Lamiaceae (Labiatae)]. Novosibirsk. 296 p. (In Russian)
4. Gamier G., Bezanger-Beauquesne L., Deraux G. 1961. Ressources Medicinales de la Flore Francaise. Vigot Freres Editeurs, Paris. Vol. 2. P. 1158–1159.
5. Saxena V. R., Arachana S. 1984. Flower pigments of *Prunella vulgaris*. — Acta Ciencia Indica. 10(1): 37–38.
6. Yesilada E., Honda G., Sezik E., Tabata M., Goto T., Ikeshiro Y. 1993. Traditional medicine in Turkey. IV. Folk medicine in the Mediterranean subdivision. — J. Ethnopharmacol. 39: 31–38.
7. Meng G., Zhang K. J., Zhang M. Z. 2007. Chemical constituents of *Prunella vulgaris* L. and antitumor activity. — Northwest Pharm. J. 22: 211–213.
8. Pharmacopoeia of the People's Republic of China. Beijing. 2005. Vol. 1. 791 p.
9. Zhang X., Ao Z., Bello A., Ran X., Liu S., Wigle J., Kobinger G., Yao X. 2016. Characterization of the inhibitory effect of an extract of *Prunella vulgaris* on Ebola virus glycoprotein (GP)-mediated virus entry and infection. — Antiviral Res. 127: 20–31. doi: 10.1016/j.antiviral.2016.01.001
10. Maximov O. B., Gorovoy P. G., Krivocshekova O. E., Kazantseva M. V., Chumak G. N. 1985. Distribution of antioxidants among grassy plants of Primorsky Krai. — Rastitelnye resursy. 21(4): 426–431. (In Russian)
11. Dmytruk S. T., Dmytruk S. E., Pryschev T. P., Taran D. D. 1996. Reparative properties of a phenolic complex *Prunella vulgaris*. In: Sovremennyye isyskaniya v oblasti farmacii. Yaroslavl. P. 122. (In Russian)

12. Psotová J., Kolár M., Sousek J., Svagera Z., Vicar J., Ulrichová J. 2003. Biological activities of *Prunella vulgaris* extract. — *Phytother. Res.* 17(9): 1082–1087. doi: 10.1002/ptr.1324
13. Mahboubi M., Mahboubi A., Kazempour N. 2015. The antimicrobial activity of *Prunella vulgaris* extracts. — *Herba Polonica.* 61(1): 31–38.
14. Kageyama S., Kurokawa M., Shiraki K. 2000. Extract of *Prunella vulgaris* spikes inhibits HIV replication at reverse transcription *in vitro* and can be absorbed from intestine *in vitro*. — *Antivir. Chem. Chemother.* 11(2): 157–164. doi: 10.1177/095632020001100207
15. Liu S., Jiang S., Wu Z., Lv L., Zhang J., Zhu Z., Wu S. 2002. Identification of inhibitors of the HIV-1gp41 six-helix bundle formation from extracts of Chinese medicinal herbs *Prunella vulgaris* and rhizomacibotte. — *Life Sci.* 71(15): 1779–1791.
16. Psotová J., Chlopcíková S., Miketová P., Simánek V. 2005. Cytoprotectivity of *Prunella vulgaris* on doxorubicin-treated rat cardiomyocytes. — *Fitoterapia.* 76(6): 556–561. doi: 10.1016/j.fitote.2005.04.019
17. Huang N., Hauck C., Yum M. Y., Rizshsky L., Widrlechner M. P., McCoy J. A., Murphy P. A., Dixon P. M., Nikolau B. J., Birt D. F. 2009. Rosmarinic acid in *Prunella vulgaris* ethanol extract inhibits lipopolysaccharide-induced prostaglandin E2 and nitric oxide in RAW 264.7 mouse macrophages. — *J. Agric. Food. Chem.* 57(22): 10579–10589.
18. Huang M., Wang Y., Xu L., You M. 2015. Anti-tumor properties of *Prunella vulgaris*. — *Curr. Pharmacol. Rep.* 1: 401–419.
19. Popa D. P., Pasechnik G. S. 1974. Terpenoids of some species of Labiatae. — *Khimia pyrodnykh soedinenyy.* 4: 529–530. (In Russian)
20. Kojima H., Ogura H. 1986. Triterpenoids from *Prunella vulgaris*. — *Phytochemistry.* 25(3): 729–733.
21. Kojima H., Tominaga H., Sato S., Ogura H. 1987. Pentacyclic triterpenoids from *Prunella vulgaris*. — *Phytochemistry.* 26(4): 1107–1111.
22. Kojima H., Tominaga H., Sato S., Takayanagi H., Ogura H. 1988. Two novel hexacyclic triterpenoids from *Prunella vulgaris*. — *Phytochemistry.* 27(9): 2921–2925.
23. Patočka J. 2003. Biologically active pentacyclic triterpenes and their current medicine signification. — *J. Appl. Biomed.* 1: 7–12.
24. Zhang Y., Yang C. 1995. Two new ursane glucosides from *Prunella vulgaris* in France. — *Acta Bot. Yun.* 17(4): 468–472.
25. Wang Zh., Zhao Y., Tu G., Hong S., Chen Y. 1999. Studies on chemical constituents from *Prunella vulgaris*. — *Yaoxue Xuebao.* 34(9): 679–681; *Chem. Abstrs.* 2000. 132, 262605.

26. Tian J., Xiao Z., Chen Y., Zhao Y., Wang Z. 2000. Structure identification of new compounds vulgarsaponin A from *Prunella vulgaris*. — Yaoxue Xuebao. 35(1): 29–31; Chem. Abstrs. 2000. 133, 40509.
27. Chen J., Fan C. L., Wang Y., Ye W. C. 2014. A new triterpenoid glycoside from *Vitex nerungo*. — Chin. J. Nat. Med. 12(3): 218–221. doi: 10.1016/S1875-5364(14)60036-4
28. Gu X. J., Li Y. B., Li P., Qian S. H., Zhang J. F. 2007. Triterpenoid saponins from the spikes of *Prunella vulgaris*. — Helv. Chim. Acta. 90(1): 72–78.
29. Liu P., Yuan B., Yin D., Miao F. 2010. Accumulation laws of main medicinal ingredients in different part of *Prunella vulgaris* L. — Acta Agric. Bor.-Occid. Sin. 19(10): 137–140.
30. Chen Y., Zhu Z., Guo Q., Zhang L., Zhang X. 2012. Variation in concentrations of major bioactive compounds in *Prunella vulgaris* L. related to plant parts and phenological stages. — Biol. Res. 45: 171–175. doi: 10.4067/S0716-97602012000200009
31. Petrova N. V., Medvedeva N. A., Budantsev A. L., Shavarda A. L. 2016. Variation of content of ursolic and oleanolic acids in leaves of *Prunella vulgaris* (Lamiaceae) growing in nature and in the climatic chamber. — Khimia rastitelnogo syrya. 1: 79–84. (In Russian)
32. Petrova N. V., Budantsev A. L., Medvedeva N. A., Shavarda A. L. 2015. Sasonal dynamics of caffeic, rosmarinic, ursolic, oleanolic acids accumulation in leaves of *Prunella vulgaris* (Lamiaceae). — Rastitelnye resursy. 51(3): 420–426. (In Russian)
33. Wang H. B., Zhang Z. Y., Zai Z. X., Su Z., Li C. K. 1993. Qualitative analysis of Chinese Drug Xiakucao (*Prunella*). — Zhongguo Zhongyao Zazhi. 18: 655–657.
34. Chen Y., Zhu Z., Guo Q., Zhang L., Zhang X. 2012. Changes in bioactive components related to the harvest time from the spicas of *Prunella vulgaris* stages. — Pharm. Biol. 50(9): 1118–1122. doi: 10.3109/13880209.2012.658477
35. Liu J. 2005. Oleanolic acid and ursolic acid: research persectives. — J. Ethnopharm. 100: 92–94.
36. Ringbom T., Segura L., Noreen Y., Perera P., Bohlin L. 1998. Ursolic acid from *Plantago major*, a selective inhibitor of cyclooxygenase-2 catalyzed prostaglandin biosynthesis. — J. Nat. Prod. 61: 1212–1215.
37. Subbaramaiah K., Michaluart P., Sporn M. B., Dannenberg A. J. 2000. Ursolic acid inhibits cyclooxygenase-2 transcription in human mammary epithelial cells. — Cancer Res. 60: 2399–2404.
38. Lee K. H., Lin Y. M., Wu T. S., Zhang D. C., Yamagishi T., Hayashi T., Hall I. H., Chang J. J., Wu R. Y., Yang T. H. 1988. The cytotoxic principles of *Prunella vulgaris*, *Psychotria serpens* and *Hyptis capitata*: ursolic acid and related derivatives. — Planta Med. 54: 3008–3011.
39. Gu X. Li Y., Mu J., Zhang Y. 2013. Chemical constituents of *Prunella vulgaris*. — J. Environ. Sci. (China). 1: 161–163. doi: 10.1016/S1001-0742(14)60648-3

40. Yong H., Chung H., Lee C., Park K., Yokozawa T., Oura H. 1994. Ursolic acid inhibits aflatoxin B₁-induced mutagenicity in a salmonella assay system. — *Biol. Pharm. Bull.* 17: 990–992.
41. Lee I. K., Kim D. H., Lee S. Y., Kim K. R., Choi S. U., Hong J. K., Lee J. H., Park Y. H., Lee K. R. 2008. Triterpenoic acids of *Prunella vulgaris* var. *lilacina* and their cytotoxic activities *in vitro*. — *Arch. Pharm. Res.* 31(12): 1578–1583. doi: 10.1007/s12272-001-2154-6
42. Jeon S. J., Park H. J., Gao Q., Pena I. J., Park S. J., Lee H. E., Woo H., Kim H. J., Cheong J. H., Hong E., Ryu J. H. 2015. Ursolic acid enhances pentobarbital-induced sleeping behaviors via GABAergic neurotransmission in mice. — *Eur. J. Pharmacol.* 762: 443–448.
43. Feng L., Au-Yeung W., Xu Y. H., Wang S. S., Zhu Q., Xiang P. 2011. Oleanolic acid from *Prunella vulgaris* L. induced SPC-A-1 cell line apoptosis via regulation of Bax, Bad and Bcl-2 expression. — *Asian Pac. J. Cancer. Prev.* 12(2): 403–408.
44. Kim H. I., Quan F. S., Kim J. E., Lee N. R., Kim H. J., Jo S. J., Lee C. M., Jang D. S., Inn K. S. 2014. Inhibition of estrogen signaling through depletion of estrogen receptor alpha by ursolic acid and betulinic acid from *Prunella vulgaris* var. *lilacina*. — *Biochem. Biophys. Res. Comm.* 451(2): 282–287.
45. Wang H. B., Zhang Z. Y., Su Z. W. 1994. On the effect of total saponins from common selfheal (*Prunella vulgaris*) on experimental myocardial infarction and hypertension of anesthetized rats. — *Chinese Trad. Herb. Drugs.* 25: 302–303.
46. Zhou Q. X., Liu F., Zhang J. S., Lu J. G., Gu Z. L., Gu G. X. 2013. Effects of triterpenic acid from *Prunella vulgaris* L. on glycemia and pancreas in rat model of streptozotocin diabetes. — *Chin. Med. J.* 126(9): 1647–1653.
47. Dzubak P., Hajduch M., Vydra D., Hustova A., Kvasnica M., Biedermann D., Markova L., Urban M., Sarek J. 2006. Pharmacological activities of natural triterpenoids and their therapeutic implications. — *Nat. Prod. Res.* 23(3): 394–411.
48. Sheng H. M., Sun H. B. 2011. Synthesis, biology and clinical significance of pentacyclic triterpenes: a multi-target approach to prevention and treatment of metabolic and vascular diseases. — *Nat. Prod. Rep.* 28: 543–593.
49. Xu L. S. 1989. Pharmacological research on the hypoglycemic effects of the active ingredients in *Prunella vulgaris*. — *Chinese Trad. Herb. Drugs.* 20: 22–24.
50. Liu B. L., Zhu D. N., Wang G. 1995. Effects of the alcohol extract of spica *Prunella* on bloodglucose in mice. — *Zhongguo Yaoke Daxue Xuebao.* 26: 44–46.
51. Yu Q., Qi J., Wang L., Liu S.-J., Yu B.-Y. 2015. Pentacyclic triterpenoids from spikers of *Prunella vulgaris* L. inhibit glycogen phosphorylase and improve insulin sensitivity in 3T3-L1 adipocytes. — *Phytother. Res.* 29(1): 73–79.

52. Ryu S. Y., Oak M. H., Yoon S. K., Cho D. I., Yoo G. S., Kim T. S., Kim K. M. 2000. Anti-allergic and anti-inflammatory triterpenes from the herb of *Prunella vulgaris*. — *Planta Med.* 66(4): 358–360. doi: 10.1055/s-2000-8531
53. Choi G. H., Kim T. H., Kim S. H., Kim J. A. 2016. Anti-allergic inflammatory triterpenoids isolated from the spikes of *Prunella vulgaris*. — *Nat. Prod. Commun.* 11(1): 31–32.
54. Wang Z. J., Zhao Y. Y., Chen Y. Y., Ma B. N. 2000. Triterpenoid compounds of *Prunella vulgaris* and their features of ¹³C NMR spectroscopy. — *Chin. J. Chinese Mater. Med.* 25(10): 583–588.
55. Jeong G. S., An R. B., Pae H. O., Oh G. S., Chung H. T., Kim Y. C. 2008. Heme oxygenase-1 inducing constituent of *Prunella vulgaris* in HepG2 cells. — *Biol. Pharm. Bull.* 31(3): 531–533.
56. Cheung H. Y., Zhang Q. F. 2008. Enhanced analysis of triterpenes, flavonoids and phenolic compounds in *Prunella vulgaris* L. by capillary zone electrophoresis with the addition of running buffer modifiers. — *J. Chromatogr. A.* 1213(2): 231–238.
57. Cai Z. Q., Ma H. Y., Zhang M. 2009. Content analysis of oleanolic acid and ursolic acid in *Prunella vulgaris* based on its provenances and appearances. — *Guangdong Yaoxueyuan Xuebao.* 25(3): 256–258.
58. Gai C. Y., Kong D. Y., Wang S. G. 2010. Study on chemical constituents of *Prunella vulgaris* L. — *Chinese J. Pharm.* 41(8): 8580–8582.
59. Sun Y. M., Xu J. Z., Wang Z. A., Yu X. P. 2009. Determination of ursolic acid in *Prunella vulgaris* from different areas by HPLC. — *Shizhen Guoyi Guoyao.* 20: 1125–1126.
60. Gu X., Li Y., Mu J., Zhang Y. 2013. Chemical constituents of *Prunella vulgaris*. — *J. Environ. Sci.* 25: 161–163. doi: 10.1016/S1001-0742(14)60648-3
61. Qi J., Hu Z.-F., Liu Z.-J., Yu B. Y. 2009. Triterpenes from *Prunella vulgaris*. — *Chin. J. Nat. Med.* 7(6): 421–424.
62. Meng Zh., He L. 1995. Studies on constituents of *Prunella vulgaris*. — *ZhongguoYaoke Daxue Xuebao.* 26(6): 329–331; *Chem. Abstrs.* 1996. 124, 352851.
63. Yang J., Hu Y. J., Yu B. Y., Qi J. 2016. Integrating qualitative and quantitative characterization of *Prunellae spica* by HPLC-QTOF/MS and HPLC-ELSD. — *Chin. J. Nat. Med.* 14(5): 391–400. doi: 10.3724/SP.J.1009.2016.00391
64. Liu Y., Song S. J., Xu S. X. 2003. Advances in study on the chemical constituents and biological activities of *Prunella vulgaris* L. — *J. S. Pharm. Univ.* 20(1): 55–59.
65. Zhang L. Z., Guo Y. J., Tu G. Z., Shi R. B., Qin W., Ba Y. Y., Yang F. 2008. A novel triterpenoid saponin from *Prunella vulgaris*. — *Yao Xue Xue Bao.* 43(2): 169–172.
66. He Y., Li R., Feng L., Li Z. 1985. Studies on the chemical constituents of *Prunella vulgaris* L. — *Beijing Yike Daxue Xuebao.* 17(4): 297–299.